Journal of Biomedical Materials Research
Author Index—Volume 78A

Aggeli, A. See Bell, C. J., 236
Alferiev, I. See Stachelek, S. J., 653
Al-Hiyasat, A. S.
—; Darmani, H.: *In vivo* effects of BISGMA—a component of dental composite—on male mouse reproduction and fertility, 66
Almanza, J. M.
—; Escobedo, J. C.; Ortiz, J. C.; Cortés, D. A.: Bioactivation of a cobalt alloy by coating with wollastonite during investment casting, 34
Alonso, M. See Rincón, A. C., 343
Anderson, J. M. See MacKintosh, E. E., 836
Anselme, K. See Rouahi, M., 222
Arcos, D.
—; Sánchez-Salcedo, S.; Izquierdo-Barba, I.; Ruiz, L.; González-Calbet, J.; Vallet-Regí, M.: Crystallochemistry, textural properties, and *in vitro* biocompatibility of different silicon-doped calcium phosphates, 762
Aro, H. T. See Koort, J. K., 532
Asato, H. See Yamaoka, H., 1
Ascencio, J. A. See Lopez, T., 441
Attin, T. See Hannig, C., 755
Aunoble, S.
—; Clément, D.; Frayssinet, P.; Harmand, M. F.; Le Huec, J. C.: Biological performance of a new β-TCP/PLLA composite material for applications in spine surgery: *In vitro* and *in vivo* studies, 416

Baílez, C. See Rincón, A. C., 343
Banerjee, R.
—; Nag, S.; Samuel, S.; Fraser, H. L.: Laser-deposited Ti-Nb-Zr-Ta orthopedic alloys, 298
Barber, Z. H. See Thian, E. S., 121
Bare, C. M. See Gemeinhart, R. A., 433
Barritault, D. See Rouet, V., 792
Barry, M. A. See Kasper, F. K., 335; Kasper, F. K., 823
Barwinski, B. See Jastrzebska, M., 148
Baslé, M. F. See Blouin, S., 570
Becker, K. See Hannig, C., 755
Bell, C. J.
—; Carrick, L. M.; Katta, J.; Jin, Z.; Ingham, E.; Aggeli, A.; Boden, N.; Waigh, T. A.; Fisher, J.: Self-assembling peptides as injectable lubricants for osteoarthritits, 236
Bellamkonda, R. V. See Dodla, M. C., 213
Benoit, J. P. See Vonarbourg, A., 620
Benum, P. See Fosse, L., 423
Berghaus, A. See Grellmann, W., 168
Best, S. M. See Botelho, C. M., 709; Porter, A. E., 25; Thian, E. S., 121; Vandiver, J., 352
Bhaduri, S. B. See Jalota, S., 481
Bhattarai, N. See Bhattarai, S. R., 247
Bhattarai, S. R.
—; Bhattarai, N.; Viswanathamurthi, P.; Yi, H. K.; Hwang, P. H.; Kim, H. Y.: Hydrophilic nanofibrous structure of polylactide; fabrication and cell affinity, 247
Bierögel, C. See Grellmann, W., 168
Bigi, A.
—; Panzavolta, S.; Sturba, L.; Torricelli, P.; Fini, M.; Giardino, R.: Normal and osteopenic bone-derived osteoblast response to a biomimetic gelatin–calcium phosphate bone cement, 739
Blouin, S.
—; Moreau, M. F.; Weiss, P.; Daculsi, G.; Baslé, M. F.; Chappard, D.: Evaluation of an injectable bone substitute (βTCP/hydroxyapatite/hydroxy-propyl-methyl-cellulose) in severely osteopenic and aged rats, 570
Boden, N. See Bell, C. J., 236
Bonfield, W. See Botelho, C. M., 709; Porter, A. E., 25; Thian, E. S., 121; Vandiver, J., 352
Borzini, P. See Morra, M., 449
Botelho, C. See Vandiver, J., 352
Botelho, C. M.
—; Brooks, R. A.; Spence, G.; McFarlane, I.; Lopes, M. A.; Best, S. M.; Santos, J. D.; Rushton, N.; Bonfield, W.: Differentiation of mononuclear precursors into osteoclasts on the surface of Si-substituted hydroxyapatite, 709
Botton, G. A. See Engqvist, H., 20
Boughner, D. R. See Johnston, D. E., 383
Boukari, A.
—; Francius, G.; Hemmerlé, J.: AFM force spectroscopy of the fibrinogen adsorption process onto dental implants, 466
Breen, A.
—; Strappe, P.; Kumar, A.; O'Brien, T.; Pandit, A.: Optimization of a fibrin scaffold for sustained release of an adenoviral gene vector, 702
Broggini, N. See Ferguson, S. J., 291
Brogueira, P. See Serro, A. P., 581
Brooks, R. A. See Botelho, C. M., 709
Brown, R. A. See Karamichos, D., 407
Buckland, T. See Porter, A. E., 25
Burdick, J. A. See Yeo, Y., 668
Buser, D. See Ferguson, S. J., 291
Bush, K. A. See Pins, G. D., 194

Cabañas, M. V.
—; Peña, J.; Román, J.; Vallet-Regí, M.: Room temperature synthesis of agarose/sol–gel glass pieces with tailored interconnected porosity, 508
Calvert, J. W. See Chastain, S. R., 73
Campagnola, P. J. See Pins, G. D., 194
Capitani, D. See Laurienzo, P., 523
Carrick, L. M. See Bell, C. J., 236
Caruelle, J.-P. See Rouet, V., 792
Cascardo, G. See Morra, M., 449
Cassinelli, C. See Morra, M., 449
Chai, C. See Feng, Q., 781
Champion, E. See Rouahi, M., 222
Chan, C. W. See Stachelek, S. J., 653
Chapman, J. R. See Schildhauer, T. A., 104
Chappard, D. See Blouin, S., 570
Charalambous, N. See Priebe, M., 399

Journal of Biomedical Materials Research
Author Index—Volume 78A

Aggeli, A. See Bell, C. J., 236
Alferiev, I. See Stachelek, S. J., 653
Al-Hiyasat, A. S.
—; Darmani, H.: *In vivo* effects of BISGMA—a component of dental composite—on male mouse reproduction and fertility, 66
Almanza, J. M.
—; Escobedo, J. C.; Ortiz, J. C.; Cortés, D. A.: Bioactivation of a cobalt alloy by coating with wollastonite during investment casting, 34
Alonso, M. See Rincón, A. C., 343
Anderson, J. M. See MacKintosh, E. E., 836
Anselme, K. See Rouahi, M., 222
Arcos, D.
—; Sánchez-Salcedo, S.; Izquierdo-Barba, I.; Ruiz, L.; González-Calbet, J.; Vallet-Regí, M.: Crystallochemistry, textural properties, and *in vitro* biocompatibility of different silicon-doped calcium phosphates, 762
Aro, H. T. See Koort, J. K., 532
Asato, H. See Yamaoka, H., 1
Ascencio, J. A. See Lopez, T., 441
Attin, T. See Hannig, C., 755
Aunoble, S.
—; Clément, D.; Frayssinet, P.; Harmand, M. F.; Le Huec, J. C.: Biological performance of a new β-TCP/PLLA composite material for applications in spine surgery: *In vitro* and *in vivo* studies, 416

Baílez, C. See Rincón, A. C., 343
Banerjee, R.
—; Nag, S.; Samuel, S.; Fraser, H. L.: Laser-deposited Ti-Nb-Zr-Ta orthopedic alloys, 298
Barber, Z. H. See Thian, E. S., 121
Bare, C. M. See Gemeinhart, R. A., 433
Barritault, D. See Rouet, V., 792
Barry, M. A. See Kasper, F. K., 335; Kasper, F. K., 823
Barwinski, B. See Jastrzebska, M., 148
Baslé, M. F. See Blouin, S., 570
Becker, K. See Hannig, C., 755
Bell, C. J.
—; Carrick, L. M.; Katta, J.; Jin, Z.; Ingham, E.; Aggeli, A.; Boden, N.; Waigh, T. A.; Fisher, J.: Self-assembling peptides as injectable lubricants for osteoarthritits, 236
Bellamkonda, R. V. See Dodla, M. C., 213
Benoit, J. P. See Vonarbourg, A., 620
Benum, P. See Fosse, L., 423
Berghaus, A. See Grellmann, W., 168
Best, S. M. See Botelho, C. M., 709; Porter, A. E., 25; Thian, E. S., 121; Vandiver, J., 352
Bhaduri, S. B. See Jalota, S., 481
Bhattarai, N. See Bhattarai, S. R., 247
Bhattarai, S. R.
—; Bhattarai, N.; Viswanathamurthi, P.; Yi, H. K.; Hwang, P. H.; Kim, H. Y.: Hydrophilic nanofibrous structure of polylactide; fabrication and cell affinity, 247
Bierögel, C. See Grellmann, W., 168
Bigi, A.
—; Panzavolta, S.; Sturba, L.; Torricelli, P.; Fini, M.; Giardino, R.: Normal and osteopenic bone-derived osteoblast response to a biomimetic gelatin–calcium phosphate bone cement, 739
Blouin, S.
—; Moreau, M. F.; Weiss, P.; Daculsi, G.; Baslé, M. F.; Chappard, D.: Evaluation of an injectable bone substitute (βTCP/hydroxyapatite/hydroxy-propyl-methyl-cellulose) in severely osteopenic and aged rats, 570
Boden, N. See Bell, C. J., 236
Bonfield, W. See Botelho, C. M., 709; Porter, A. E., 25; Thian, E. S., 121; Vandiver, J., 352
Borzini, P. See Morra, M., 449
Botelho, C. See Vandiver, J., 352
Botelho, C. M.
—; Brooks, R. A.; Spence, G.; McFarlane, I.; Lopes, M. A.; Best, S. M.; Santos, J. D.; Rushton, N.; Bonfield, W.: Differentiation of mononuclear precursors into osteoclasts on the surface of Si-substituted hydroxyapatite, 709
Botton, G. A. See Engqvist, H., 20
Boughner, D. R. See Johnston, D. E., 383
Boukari, A.
—; Francius, G.; Hemmerlé, J.: AFM force spectroscopy of the fibrinogen adsorption process onto dental implants, 466
Breen, A.
—; Strappe, P.; Kumar, A.; O'Brien, T.; Pandit, A.: Optimization of a fibrin scaffold for sustained release of an adenoviral gene vector, 702
Broggini, N. See Ferguson, S. J., 291
Brogueira, P. See Serro, A. P., 581
Brooks, R. A. See Botelho, C. M., 709
Brown, R. A. See Karamichos, D., 407
Buckland, T. See Porter, A. E., 25
Burdick, J. A. See Yeo, Y., 668
Buser, D. See Ferguson, S. J., 291
Bush, K. A. See Pins, G. D., 194

Cabañas, M. V.
—; Peña, J.; Román, J.; Vallet-Regí, M.: Room temperature synthesis of agarose/sol–gel glass pieces with tailored interconnected porosity, 508
Calvert, J. W. See Chastain, S. R., 73
Campagnola, P. J. See Pins, G. D., 194
Capitani, D. See Laurienzo, P., 523
Carrick, L. M. See Bell, C. J., 236
Caruelle, J.-P. See Rouet, V., 792
Cascardo, G. See Morra, M., 449
Cassinelli, C. See Morra, M., 449
Chai, C. See Feng, Q., 781
Champion, E. See Rouahi, M., 222
Chan, C. W. See Stachelek, S. J., 653
Chapman, J. R. See Schildhauer, T. A., 104
Chappard, D. See Blouin, S., 570
Charalambous, N. See Priebe, M., 399

Chastain, S. R.
—; Kundu, A. K.; Dhar, S.; Calvert, J. W.; Putnam, A. J.: Adhesion of mesenchymal stem cells to polymer scaffolds occurs via distinct ECM ligands and controls their osteogenic differentiation, 73
Chen, I.-W. See Stachelek, S. J., 653
Chen, J. See Karageorgiou, V., 324
Chen, L.-H. See Oh, S., 97
Cheng, E. Y. See Harrington, D. A., 157
Cho, S.-W. See Gwak, S.-J., 268
Choi, C. Y. See Gwak, S.-J., 268
Choi, D. See Gwak, S.-J., 268
Choi, H. See Stachelek, S. J., 653
Chorny, M.
—; Mishaly, D.; Leibowitz, A.; Domb, A. J.; Golomb, G.: Site-specific delivery of dexamethasone from biodegradable implants reduces formation of pericardial adhesions in rabbits, 276
Chou, A. M. See Zhou, Y. F., 183
Chou, L. L. See Xi, T. F., 283
Chung, U. See Yamaoka, H., 1
Cimini, M. See Johnston, D. E., 383
Clapper, D. L. See Williams, S. K., 59
Claussen, R. C. See Harrington, D. A., 157
Clément, D. See Aunoble, S., 416
Cochran, D. L. See Ferguson, S. J., 291
Colaço, R. See Serro, A. P., 581
Colon, G.
—; Ward, B. C.; Webster, T. J.: Increased osteoblast and decreased *Staphylococcus epidermidis* functions on nanophase ZnO and TiO_2, 595
Composto, R. See Stachelek, S. J., 653
Conde, R. See Lopez, T., 441
Cortés, D. A. See Almanza, J. M., 34
Couillard, M. See Engqvist, H., 20
Cunningham, L. P. See Pins, G. D., 194
Cwalina, B. See Jastrzebska, M., 148

Daculsi, G. See Blouin, S., 570
Daraio, C. See Oh, S., 97
Darmani, H. See Al-Hiyasat, A. S., 66
Davaran, S.
—; Hanaee, J.; Rashidi, M. R.; Valiolah, F.; Hashemi, M.: Influence of poly(ethylene glycol)-α-cyclodextrin complexes on stabilization and transdermal permeation of ascorbic acid, 590
Dean, D. See Vandiver, J., 352
de Bruijn, J. D. See Yuan, H., 139
de Groot, K. See Yuan, H., 139
De Jong, W. H. See Van Tienhoven, E. A. E., 175
de las Heras, B. See Rincón, A. C., 343
Dentzer, J. See Rouahi, M., 222
Depan, D.
—; Kumar, A. P.; Singh, R. P.: Preparation and characterization of novel hybrid of chitosan-*g*-lactic acid and montmorillonite, 372
De Ruijter, A. See Yan, Y., 42
de Wijn, J. R. See Moroni, L., 605
de Wild, M. See Ferguson, S. J., 291
Dhar, S. See Chastain, S. R., 73
Dodla, M. C.
—; Bellamkonda, R. V.: Anisotropic scaffolds facilitate enhanced neurite extension *in vitro*, 213
Domb, A. J. See Chorny, M., 276
Dong, Y.
—; Feng, S.-S.: Nanoparticles of poly(D,L-lactide)/methoxy poly(ethylene glycol)-poly(D,L-lactide) blends for controlled release of paclitaxel, 12
Donovan, J. L. See Harrington, D. A., 157

Emanuelsson, L. See Engqvist, H., 20
Engqvist, H.
—; Botton, G. A.; Couillard, M.; Mohammadi, S.; Malmström, J.; Emanuelsson, L.; Hermansson, L.; Phaneuf, M. W.; Thomsen, P.: A novel tool for high-resolution transmission electron microscopy of intact interfaces between bone and metallic implants, 20
Escobedo, J. C. See Almanza, J. M., 34
Evis, Z.
—; Sato, M.; Webster, T. J.: Increased osteoblast adhesion on nanograined hydroxyapatite and partially stabilized zirconia composites, 500

Fajardo, R. See Karageorgiou, V., 324
Fan, C. X. See Xi, T. F., 283
Feng, Q.
—; Chai, C.; Jiang, X.-S.; Leong, K. W.; Mao, H.-Q.: Expansion of engrafting human hematopoietic stem/progenitor cells in three-dimensional scaffolds with surface-immobilized fibronectin, 781
Feng, S.-S. See Dong, Y., 12
Feng, X. M. See Xi, T. F., 283
Ferguson, S. J.
—; Broggini, N.; Wieland, M.; de Wild, M.; Rupp, F.; Geis-Gerstorfer, J.; Cochran, D. L.; Buser, D.: Biomechanical evaluation of the interfacial strength of a chemically modified sandblasted and acid-etched titanium surface, 291
Fini, M. See Bigi, A., 739; Morra, M., 449
Fiñones, R. R. See Oh, S., 97
Fisher, J. See Bell, C. J., 236; Tipper, J. L., 473
Fosse, L.
—; Rønningen, H.; Benum, P.; Lydersen, S.; Sandven, R. B.: Factors affecting stiffness properties in impacted morsellized bone used in revision hip surgery: An experimental *in vitro* study, 423
Francius, G. See Boukari, A., 466
Fraser, H. L. See Banerjee, R., 298
Frayssinet, P. See Aunoble, S., 416
Fujibayashi, S. See Goto, K., 629; Takemoto, M., 693

Gallet, O. See Rouahi, M., 222
Galvin, A. L. See Tipper, J. L., 473
Geis-Gerstorfer, J. See Ferguson, S. J., 291
Gemeinhart, E. J. See Gemeinhart, R. A., 433
Gemeinhart, R. A.
—; Bare, C. M.; Haasch, R. T.; Gemeinhart, E. J.: Osteoblast-like cell attachment to and calcification of novel phosphonate-containing polymeric substrates, 433
Giardino, R. See Bigi, A., 739; Morra, M., 449
Giavaresi, G. See Morra, M., 449
Gispert, M. P. See Serro, A. P., 581
Golomb, G. See Chorny, M., 276
Gomei, Y. See Higuchi, A., 491
Gong, Y. See Zhu, L., 515
Gonzalez, R. D. See Lopez, T., 441
González-Calbet, J. See Arcos, D., 762
Goto, K.
—; Shinzato, S.; Fujibayashi, S.; Tamura, J.; Kawanabe, K.; Hasegawa, S.; Kowalski, R.; Nakamura, T.: The biocompatibility and osteoconductivity of a cement containing β–TCP for use in vertebroplasty, 629

Grellmann, W.
—; Berghaus, A.; Haberland, E.-J.; Jamali, Y.; Holweg, K.; Reincke, K.; Bierögel, C.: Determination of strength and deformation behavior of human cartilage for the definition of significant parameters, 168
Gu, Y. W.
—; Li, H.; Tay, B. Y.; Lim, C. S.; Yong, M. S.; Khor, K. A.: *In vitro* bioactivity and osteoblast response of porous NiTi synthesized by SHS using nanocrystalline Ni-Ti reaction agent, 316
Guler, M. O. See Harrington, D. A., 157
Gwak, S.-J.
—; Choi, D.; Paik, S. S.; Cho, S.-W.; Kim, S.-S.; Choi, C. Y.; Kim, B.-S.: A method for the effective formation of hepatocyte spheroids using a biodegradable polymer nanosphere, 268

Haasch, R. T. See Gemeinhart, R. A., 433
Haberland, E.-J. See Grellmann, W., 168
Hagen, K. M. See Williams, S. K., 59
Hahn, S. K. See Motokawa, K., 459
Hanaee, J. See Davaran, S., 590
Hanes, M. See Zhang, M., 86
Hannig, C.
—; Wasser, M.; Becker, K.; Hannig, M.; Huber, K.; Attin, T.: Influence of different restorative materials on lysozyme and amylase activity of the salivary pellicle *in situ*, 755
Hannig, M. See Hannig, C., 755
Hardouin, P. See Rouahi, M., 222
Harmand, M. F. See Aunoble, S., 416
Harrington, D. A.
—; Cheng, E. Y.; Guler, M. O.; Lee, L. K.; Donovan, J. L.: Claussen, R. C.; Stupp, S. I.: Branched peptide-amphiphiles as self-assembling coatings for tissue engineering scaffolds, 157
Harris, L. G.
—; Mead, L.; Müller-Oberländer, E.; Richards, R. G.: Bacteria and cell cytocompatibility studies on coated medical grade titanium surfaces, 50
Hasegawa, S. See Goto, K., 629
Hashemi, M. See Davaran, S., 590
Hashimoto, I. See Sakai, S., 394
Hattori, H. See Nakamura, S., 364
Hedderich, J. See Priebe, M., 399
Heller, M. See Priebe, M., 399
Hemmerlé, J. See Boukari, A., 466
Hermansson, L. See Engqvist, H., 20
Herrero-Vanrell, R. See Rincón, A. C., 343
Highley, C. B. See Yeo, Y., 668
Higuchi, A.
—; Iizuka, A.; Gomei, Y.; Miyazaki, T.; Sakurai, M.; Matsuoka, Y.; Natori, S. H.: Separation of $CD34^+$ cells from human peripheral blood through polyurethane foaming membranes, 491
Hing, K. See Porter, A. E., 25
Holweg, K. See Grellmann, W., 168
Homaeigohar, S. SH.
—; Shokrgozar, M. A.; Javadpour, J.; Khavandi, A.; Sadi, A. Y.: Effect of reinforcement particle size on *in vitro* behavior of β-tricalcium phosphate-reinforced high-density polyethylene: A novel orthopedic composite, 129
Hoshi, K. See Yamaoka, H., 1
Hu, J. See Wang, X., 746
Huang, J. See Thian, E. S., 121
Huang, X.-D. See Yao, K., 684
Huang, X.-J. See Yao, K., 684
Huber, K. See Hannig, C., 755
Hutmacher, D. W. See Zhou, Y. F., 183
Hwang, P. H. See Bhattarai, S. R., 247

Iizuka, A. See Higuchi, A., 491
Ingham, E. See Bell, C. J., 236; Tipper, J. L., 473
Ishihara, M. See Nakamura, S., 364
Ishizuka, T. See Nakamura, S., 364
Izquierdo-Barba, I. See Arcos, D., 762

Jacquet, R. See Siperko, L. M., 808
Jahnke, T. See Priebe, M., 399
Jalava, J. See Koort, J. K., 532
Jalota, S.
—; Bhaduri, S. B.; Tas, A. C.: *In vitro* testing of calcium phosphate (HA, TCP, and biphasic HA-TCP) whiskers, 481
Jamali, Y. See Grellmann, W., 168
James, S. P. See Zhang, M., 86
Jansen, J. A. See Kasper, F. K., 335; Leeuwenburgh, S. C. G., 558; Siebers, M. C., 258; Yan, Y., 42
Jastrzebska, M.
—; Zalewska-Rejdak, J.; Wrzalik, R.; Kocot, A.; Mroz, I.; Barwinski, B.; Turek, A.; Cwalina, B.: Tannic acid-stabilized pericardium tissue: IR spectroscopy, atomic force microscopy, and dielectric spectroscopy investigations, 148
Javadpour, J. See Homaeigohar, S. SH., 129
Jerkins, E. See Kasper, F. K., 823
Jiang, X.-S. See Feng, Q., 781
Jin, S. See Oh, S., 97
Jin, Z. See Bell, C. J., 236
Johnston, D. E.
—; Boughner, D. R.; Cimini, M.; Rogers, K. A.: Radial artery as an autologous cell source for valvular tissue engineering efforts, 383

Kader, K. N. See Ludwig, N. S., 615
Kanatani, Y. See Nakamura, S., 364
Kandel, R. A. See Spiteri, C. G., 676
Kaplan, D. L. See Karageorgiou, V., 324
Karageorgiou, V.
—; Tomkins, M.; Fajardo, R.; Meinel, L.; Snyder, B.; Wade, K.; Chen, J.; Vunjak-Novakovic, G.; Kaplan, D. L.: Porous silk fibroin 3-D scaffolds for delivery of bone morphogenetic protein-2 *in vitro* and *in vivo*, 324
Karamichos, D.
—; Brown, R. A.; Mudera, V.: Complex dependence of substrate stiffness and serum concentration on cell-force generation, 407
Kariya, Y. See Nakamura, S., 364
Kasper, F. K.
—; Jerkins, E.; Tanahashi, K.; Barry, M. A.; Tabata, Y.; Mikos, A. G.: Characterization of DNA release from composites of oligo(poly(ethylene glycol) fumarate) and cationized gelatin microspheres *in vitro*, 823
—; Young, S.; Tanahashi, K.; Barry, M. A.; Tabata, Y.; Jansen, J. A.; Mikos, A. G.: Evaluation of bone regeneration by DNA release from composites of oligo(poly(ethylene glycol) fumarate) and cationized gelatin microspheres in a critical-sized calvarial defect, 335
Katta, J. See Bell, C. J., 236
Katti, D. See Verma, D., 772
Katti, K. See Verma, D., 772
Kawabata, K. See Sakai, S., 394
Kawaguchi, H. See Yamaoka, H., 1
Kawakami, K. See Sakai, S., 394
Kawanabe, K. See Goto, K., 629
Khavandi, A. See Homaeigohar, S. SH., 129
Khor, K. A. See Gu, Y. W., 316
Kim, B.-S. See Gwak, S.-J., 268
Kim, D. See Park, H., 662
Kim, H. Y. See Bhattarai, S. R., 247
Kim, S.-S. See Gwak, S.-J., 268

King, J. A. See Wright-Charlesworth, D. D., 541
King, K. B. See Li, C., 729
King, R. See Zhang, M., 86
Kleinert, L. B. See Williams, S. K., 59
Kocot, A. See Jastrzebska, M., 148
Kohane, D. S. See Yeo, Y., 668
Kokubo, T. See Takemoto, M., 693
Köller, M. See Schildhauer, T. A., 104
Koort, J. K.
—; Suokas, E.; Veiranto, M.; Mäkinen, T. J.; Jalava, J.; Törmälä, P.; Aro, H. T.: *In vitro* and *in vivo* testing of bioabsorbable antibiotic containing bone filler for osteomyelitis treatment, 532
Korbee, D. See Van Tienhoven, E. A. E., 175
Koshima, I. See Yamaoka, H., 1
Kowalski, R. See Goto, K., 629
Kumar, A. See Breen, A., 702; Depan, D., 372
Kundu, A. K. See Chastain, S. R., 73

Landis, W. J. See Siperko, L. M., 808
Langer, R. See Yeo, Y., 668
La Rotonda, M. I. See Laurienzo, P., 523
Latour, R. A.
—; Thermodynamic perspectives on the molecular mechanisms providing protein adsorption resistance that include protein-surface interactions, 843
Laurienzo, P.
—; Malinconico, M.; Mattia, G.; Russo, R.; La Rotonda, M. I.; Quaglia, F.; Capitani, D.; Mannina, L.: Novel alginate–acrylic polymers as a platform for drug delivery, 523
Lee, L. K. See Harrington, D. A., 157
Leeuwenburgh, S. C. G. See Siebers, M. C., 258
—; Wolke, J. G. C.; Lommen, L.; Pooters, T.; Schoonman, J.; Jansen, J. A.: Mechanical properties of porous, electrosprayed calcium phosphate coatings, 558
Le Huec, J. C. See Aunoble, S., 416
Leibowitz, A. See Chorny, M., 276
Leong, K. W. See Feng, Q., 781
Leroux, J. C. See Vonarbourg, A., 620
Levy, R. J. See Stachelek, S. J., 653
Li, C.
—; Pruitt, L. A.; King, K. B.: Nanoindentation differentiates tissue-scale functional properties of native articular cartilage, 729
Li, H. See Gu, Y. W., 316
Lim, C. H. See Wright-Charlesworth, D. D., 541
Lim, C. S. See Gu, Y. W., 316
Lim, T. M. See Zhou, Y. F., 183
Liu, H.
—; Slamovich, E. B.; Webster, T. J.: Increased osteoblast functions among nanophase titania/poly(lactide-*co*-glycolide) composites of the highest nanometer surface roughness, 798
Lommen, L. See Leeuwenburgh, S. C. G., 558
Lopes, M. A. See Botelho, C. M., 709; Vandiver, J., 352
Lopez, T.
—; Navarrete, J.; Conde, R.; Ascencio, J. A.; Manjarrez, J.; Gonzalez, R. D.: Molecular vibrational analysis and MAS-NMR spectroscopy study of epilepsy drugs encapsulated in TiO_2-sol–gel reservoirs, 441
Lu, Q. See Wang, X., 746
Ludwig, N. S.
—; Yoder, C.; McConney, M.; Vargo, T. G.; Kader, K. N.: Directed Type IV collagen self-assembly on hydroxylated PTFE, 615
Lydersen, S. See Fosse, L., 423

Ma, P. X. See Wei, G., 306
MacKintosh, E. E.
—; Patel, J. D.; Marchant, R. E.; Anderson, J. M.: Effects of biomaterial surface chemistry on the adhesion and biofilm formation of *Staphylococcus epidermidis in vitro*, 836
Maehara, T. See Nakamura, S., 364
Mäkinen, T. J. See Koort, J. K., 532
Malinconico, M. See Laurienzo, P., 523
Malmström, J. See Engqvist, H., 20
Manjarrez, J. See Lopez, T., 441
Mannina, L. See Laurienzo, P., 523
Mao, H.-Q. See Feng, Q., 781
Marchant, R. E. See MacKintosh, E. E., 836
Marini, R. See Yeo, Y., 668
Martins, M. C. L. See Serro, A. P., 581
Masuoka, K. See Nakamura, S., 364
Matsui, T. See Nakamura, S., 364
Matsuoka, Y. See Higuchi, A., 491
Mattia, G. See Laurienzo, P., 523
Mazzucco, L. See Morra, M., 449
McConney, M. See Ludwig, N. S., 615
McEwen, H. M. J. See Tipper, J. L., 473
McFarlane, I. See Botelho, C. M., 709
Mead, L. See Harris, L. G., 50
Meddahi-Pellé, A. See Rouet, V., 792
Meinel, L. See Karageorgiou, V., 324
Miao, H.-Q. See Rouet, V., 792
Mikos, A. G. See Kasper, F. K., 335; Kasper, F. K., 823
Miller, D. M. See Wright-Charlesworth, D. D., 541
Mishaly, D. See Chorny, M., 276
Mitchell, S. B.
—; Sanders, J. E.: A unique device for controlled electrospinning, 110
Miyamoto, H. See Motokawa, K., 459
Miyazaki, T. See Higuchi, A., 491
Mohammadi, S. See Engqvist, H., 20
Molina-Martinez, I. T. See Rincón, A. C., 343
Moreau, M. F. See Blouin, S., 570
Moroni, L.
—; Poort, G.; Van Keulen, F.; de Wijn, J. R.; van Blitterswijk, C. A.: Dynamic mechanical properties of 3D fiber-deposited PEOT/PBT scaffolds: An experimental and numerical analysis, 605
Morra, M.
—; Cassinelli, C.; Cascardo, G.; Mazzucco, L.; Borzini, P.; Fini, M.; Giavaresi, G.; Giardino, R.: Collagen I-coated titanium surfaces: mesenchymal cell adhesion and *in vivo* evaluation in trabecular bone implants, 449
Motokawa, K.
—; Hahn, S. K.; Nakamura, T.; Miyamoto, H.; Shimoboji, T.: Selectively crosslinked hyaluronic acid hydrogels for sustained release formulation of erythropoietin, 459
Mroz, I. See Jastrzebska, M., 148
Mu, C. See Sakai, S., 394
Mudera, V. See Karamichos, D., 407
Muhr, G. See Schildhauer, T. A., 104
Müller-Hülsbeck, S. See Priebe, M., 399
Müller-Oberländer, E. See Harris, L. G., 50

Nag, S. See Banerjee, R., 298
Nakamura, K. See Yamaoka, H., 1
Nakamura, S.
—; Ishihara, M.; Obara, K.; Masuoka, K.; Ishizuka, T.; Kanatani, Y.; Takase, B.; Matsui, T.; Hattori, H.; Sato, T.; Kariya, Y.; Maehara, T.: Controlled release of fibroblast growth factor-2 from an injectable 6-O-desulfated heparin hydrogel

and subsequent effect on *in vivo* vascularization, 364
Nakamura, T. See Goto, K., 629; Motokawa, K., 459; Takemoto, M., 693
Nakatsuka, T. See Yamaoka, H., 1
Natori, S. H. See Higuchi, A., 491
Navarrete, J. See Lopez, T., 441
Neo, M. See Takemoto, M., 693
Nishizawa, S. See Yamaoka, H., 1

Obara, K. See Nakamura, S., 364
O'Brien, T. See Breen, A., 702
Ogasawara, T. See Yamaoka, H., 1
Oh, S.
—; Daraio, C.; Chen, L.-H.; Pisanic, T. R.; Fiñones, R. R.; Jin, S.: Significantly accelerated osteoblast cell growth on aligned TiO_2 nanotubes, 97
Ohlin, C. A. See Wang, X., 746
Oral, E.
—; Peppas, N. A.: Hydrophilic molecularly imprinted poly(hydroxyethyl-methacrylate) polymers, 205
Ortiz, C. See Vandiver, J., 352
Ortiz, J. C. See Almanza, J. M., 34

Paik, S. S. See Gwak, S.-J., 268
Pandit, A. See Breen, A., 702
Panzavolta, S. See Bigi, A., 739
Park, H.
—; Kim, D.: Swelling and mechanical properties of glycol chitosan/poly(vinyl alcohol) IPN-type superporous hydrogels, 662
Passirani, C. See Vonarbourg, A., 620
Patel, J. D. See MacKintosh, E. E., 836
Patel, N. See Vandiver, J., 352
Paulsen, F. P. See Priebe, M., 399
Peña, J. See Cabañas, M. V., 508
Peppas, N. A. See Oral, E., 205
Phaneuf, M. W. See Engqvist, H., 20
Pilliar, R. M. See Spiteri, C. G., 676
Pins, G. D.
—; Bush, K. A.; Cunningham, L. P.; Campagnola, P. J.: Multiphoton excited fabricated nano and micro patterned extracellular matrix proteins direct cellular morphology, 194
Pisanic, T. R. See Oh, S., 97
Poort, G. See Moroni, L., 605
Pooters, T. See Leeuwenburgh, S. C. G., 558
Porter, A. E.
—; Buckland, T.; Hing, K.; Best, S. M.; Bonfield, W.: The structure of the bond between bone and porous silicon-substituted hydroxyapatite bioceramic implants, 25
Priebe, M.
—; Müller-Hülsbeck, S.; Jahnke, T.; Charalambous, N.; Hedderich, J.; Heller, M.; Paulsen, F. P.: Influence of various cell-detachment solutions on endothelial cells after catheter abrasion for prosthesis colonization prior to implantation, 399
Pruitt, L. A. See Li, C., 729
Putnam, A. J. See Chastain, S. R., 73

Quaglia, F. See Laurienzo, P., 523

Rashidi, M. R. See Davaran, S., 590
Reincke, K. See Grellmann, W., 168
Richards, R. G. See Harris, L. G., 50
Rincón, A. C.
—; Molina-Martinez, I. T.; de las Heras, B.; Alonso, M.; Baílez, C.; Rodríguez-Cabello, J. C.; Herrero-Vanrell, R.: Biocompatibility of elastin-like polymer poly(VPAVG) microparticles: *in vitro* and *in vivo* studies, 343
Rodríguez-Cabello, J. C. See Rincón, A. C., 343
Rogers, K. A. See Johnston, D. E., 383
Román, J. See Cabañas, M. V., 508
Rønningen, H. See Fosse, L., 423
Rouahi, M.
—; Gallet, O.; Champion, E.; Dentzer, J.; Hardouin, P.; Anselme, K.: Influence of hydroxyapatite microstructure on human bone cell response, 222
Rouet, V.
—; Meddahi-Pellé, A.; Miao, H.-Q.; Vlodavsky, I.; Caruelle, J.-P.; Barritault, D.: Heparin-like synthetic polymers, named RGTAs, mimic biological effects of heparin *in vitro*, 792
Ruiz, L. See Arcos, D., 762
Rupp, F. See Ferguson, S. J., 291
Rushton, N. See Botelho, C. M., 709
Russo, R. See Laurienzo, P., 523

Sacks, M. See Stachelek, S. J., 653
Sadi, A. Y. See Homaeigohar, S. SH., 129
Sae-Lim, V. See Zhou, Y. F., 183
Sakai, S.
—; Mu, C.; Kawabata, K.; Hashimoto, I.; Kawakami, K.: Biocompatibility of subsieve-size capsules *versus* conventional-size microcapsules, 394
Sakurai, M. See Higuchi, A., 491
Samuel, S. See Banerjee, R., 298
Sánchez-Salcedo, S. See Arcos, D., 762
Sanders, J. E. See Mitchell, S. B., 110
Sandven, R. B. See Fosse, L., 423
Santos, J. D. See Botelho, C. M., 709; Vandiver, J., 352
Saramago, B. See Serro, A. P., 581
Sato, M. See Evis, Z., 500
Sato, T. See Nakamura, S., 364
Saulnier, P. See Vonarbourg, A., 620
Schildhauer, T. A.
—; Chapman, J. R.; Muhr, G.; Köller, M.: Cytokine relese of mononuclear leukocytes (PBMC) after contact to a carbonated calcium phosphate bone cement, 104
Schipper, L. See Van Tienhoven, E. A. E., 175
Schoonman, J. See Leeuwenburgh, S. C. G., 558
Serro, A. P.
—; Gispert, M. P.; Martins, M. C. L.; Brogueira, P.; Colaço, R.; Saramago, B.: Adsorption of albumin on prosthetic materials: Implication for tribological behavior, 581
Shimoboji, T. See Motokawa, K., 459
Shinzato, S. See Goto, K., 629
Shokrgozar, M. A. See Homaeigohar, S. SH., 129
Siebers, M. C.
—; Walboomers, X. F.; Leeuwenburgh, S. C. G.; Wolke, J. G. C.; Jansen, J. A.: The influence of the crystallinity of electrostatic spray deposition-derived coatings on osteoblast-like cell behavior, *in vitro*, 258
Simard, P. See Vonarbourg, A., 620
Singh, R. P. See Depan, D., 372
Siperko, L. M.
—; Jacquet, R.; Landis, W. J.: Modified aminosilane substrates to evaluate osteoblast attachment, growth, and gene expression *in vitro*, 808
Slamovich, E. B. See Liu, H., 798
Snyder, B. See Karageorgiou, V., 324
Spence, G. See Botelho, C. M., 709
Spencer, P. See Wang, Y., 721
Spiteri, C. G.
—; Pilliar, R. M.; Kandel, R. A.: Substrate porosity enhances chondrocyte attachment,

spreading, and cartilage tissue formation *in vitro*, 676
Stachelek, S. J.
—; Alferiev, I.; Choi, H.; Chan, C. W.; Zubiate, B.; Sacks, M.; Composto, R.; Chen, I.-W.; Levy, R. J.: Prevention of oxidative degradation of polyurethane by covalent attachment of di-*tert*-butylphenol residues, 653
Stone, M. H. See Tipper, J. L., 473
Strappe, P. See Breen, A., 702
Stupp, S. I. See Harrington, D. A., 157
Sturba, L. See Bigi, A., 739
Sun, C.
—; Sze, R.; Zhang, M.: Folic acid-PEG conjugated superparamagnetic nanoparticles for targeted cellular uptake and detection by MRI, 550
Suokas, E. See Koort, J. K., 532
Suzuki, J. See Takemoto, M., 693
Sze, R. See Sun, C., 550

Tabata, Y. See Kasper, F. K., 335; Kasper, F. K., 823
Takahashi, T. See Yamaoka, H., 1
Takase, B. See Nakamura, S., 364
Takato, T. See Yamaoka, H., 1
Takemoto, M.
—; Fujibayashi, S.; Neo, M.; Suzuki, J.; Kokubo, T.; Nakamura, T.: Bone-bonding ability of a hydroxyapatite coated zirconia–alumina nanocomposite with a microporous surface, 693
Tamura, J. See Goto, K., 629
Tanahashi, K. See Kasper, F. K., 335, 823
Tang, G. See Zhu, L., 515
Tas, A. C. See Jalota, S., 481
Tay, B. Y. See Gu, Y. W., 316
Thian, E. S.
—; Huang, J.; Best, S. M.; Barber, Z. H.; Bonfield, W.: Silicon-substituted hydroxyapatite thin films: Effect of annealing temperature on coating stability and bioactivity, 121
Thomsen, P. See Engqvist, H., 20
Tipper, J. L.
—; Galvin, A. L.; Williams, S.; McEwen, H. M. J.; Stone, M. H.; Ingham, E.; Fisher, J.: Isolation and characterization of UHMWPE wear particles down to ten nanometers in size from *in vitro* hip and knee joint simulators, 473
Tomkins, M. See Karageorgiou, V., 324
Törmälä, P. See Koort, J. K., 532
Torricelli, P. See Bigi, A., 739
Turek, A. See Jastrzebska, M., 148

Valiolah, F. See Davaran, S., 590
Vallet-Regí, M. See Arcos, D., 762; Cabañas, M. V., 508
van Blitterswijk, C. A. See Moroni, L., 605; Yuan, H., 139
Vandiver, J.
—; Dean, D.; Patel, N.; Botelho, C.; Best, S.; Santos, J. D.; Lopes, M. A.; Bonfield, W.; Ortiz, C.: Silicon addition to hydroxyapatite increases nanoscale electrostatic, van der Waals, and adhesive interactions, 352
Van Keulen, F. See Moroni, L., 605
Van Tienhoven, E. A. E.
—; Korbee, D.; Schipper, L.; Verharen, H. W.; De Jong, W. H.: *In vitro* and *in vivo* (cyto)toxicity assays using PVC and LDPE as model materials, 175
Vargo, T. G. See Ludwig, N. S., 615
Veiranto, M. See Koort, J. K., 532
Verharen, H. W. See Van Tienhoven, E. A. E., 175
Verma, D.
—; Katti, K.; Katti, D.: Bioactivity in *in situ* hydroxyapatite–polycaprolactone composites, 772
Viswanathamurthi, P. See Bhattarai, S. R., 247
Vlodavsky, I. See Rouet, V., 792
Vonarbourg, A.
—; Passirani, C.; Saulnier, P.; Simard, P.; Leroux, J. C.; Benoit, J. P.: Evaluation of pegylated lipid nanocapsules *versus* complement system activation and macrophage uptake, 620
Vunjak-Novakovic, G. See Karageorgiou, V., 324

Wade, K. See Karageorgiou, V., 324
Waigh, T. A. See Bell, C. J., 236
Walboomers, X. F. See Siebers, M. C., 258
Wang, C. R. See Xi, T. F., 283
Wang, X.
—; Ohlin, C. A.; Lu, Q.; Hu, J.: Influence of physicochemical properties of laser-modified polystyrene on bovine serum albumin adsorption and rat C6 glioma cell behavior, 746
Wang, Y.
—; Spencer, P.; Yao, X.; Ye, Q.: Effect of coinitiator and water on the photoreactivity and photopolymerization of HEMA/camphoquinone-based reactant mixtures, 721
Wang, Z. Y. See Xi, T. F., 283
Ward, B. C. See Colon, G., 595
Wasser, M. See Hannig, C., 755
Webster, T. J. See Colon, G., 595; Evis, Z., 500; Liu, H., 798
Wei, G.
—; Ma, P. X.: Macroporous and nanofibrous polymer scaffolds and polymer/bone-like apatite composite scaffolds generated by sugar spheres, 306
Weiss, P. See Blouin, S., 570
Wieland, M. See Ferguson, S. J., 291
Williams, S. See Tipper, J. L., 473
Williams, S. K.
—; Kleinert, L. B.; Hagen, K. M.; Clapper, D. L.: Covalent modification of porous implants using extracellular matrix proteins to accelerate neovascularization, 59
Wolke, J. G. C. See Leeuwenburgh, S. C. G., 558; Siebers, M. C., 258; Yan, Y., 42
Wright-Charlesworth, D. D.
—; King, J. A.; Miller, D. M.; Lim, C. H.: *In vitro* flexural properties of hydroxyapatite and self-reinforced poly(L-lactic acid), 541
Wrzalik, R. See Jastrzebska, M., 148

Xi, T. F.
—; Fan, C. X.; Feng, X. M.; Wang, Z. Y.; Wang, C. R.; Chou, L. L.: Cytotoxicity and altered *c-myc* gene expression by medical polyacrylamide hydrogel, 283
Xu, Z.-K. See Yao, K., 684

Yamaoka, H.
—; Asato, H.; Ogasawara, T.; Nishizawa, S.; Takahashi, T.; Nakatsuka, T.; Koshima, I.; Nakamura, K.; Kawaguchi, H.; Chung, U.; Takato, T.; Hoshi, K.: Cartilage tissue engineering using human auricular chondrocytes embedded in different hydrogel materials, 1
Yan, Y.
—; Wolke, J. G. C.; De Ruijter, A.; Yubao, L.; Jansen, J. A.: Growth behavior of rat bone marrow cells on RF magnetron sputtered

hydroxyapatite and dicalcium pyrophosphate coatings, 42
Yao, K.
—; Huang, X.-D.; Huang, X.-J.; Xu, Z.-K.: Improvement of the surface biocompatibility of silicone intraocular lens by the plasma-induced tethering of phospholipid moieties, 684
Yao, X. See Wang, Y., 721
Ye, Q. See Wang, Y., 721
Ye, X. See Zhu, L., 515
Yeo, Y.
—; Burdick, J. A.; Highley, C. B.; Marini, R.; Langer, R.; Kohane, D. S.: Peritoneal application of chitosan and UV-cross-linkable chitosan, 668
Yi, H. K. See Bhattarai, S. R., 247
Yoder, C. See Ludwig, N. S., 615
Yong, M. S. See Gu, Y. W., 316
Young, S. See Kasper, F. K., 335
Yuan, H.
—; van Blitterswijk, C. A.; de Groot, K.; de Bruijn, J. D.: A comparison of bone formation in biphasic calcium phosphate (BCP) and hydroxyapatite (HA) implanted in muscle and bone of dogs at different time periods, 139
Yubao, L. See Yan, Y., 42

Zalewska-Rejdak, J. See Jastrzebska, M., 148
Zhang, M. See Sun, C., 550
—; King, R.; Hanes, M.; James, S. P.: A novel ultra high molecular weight polyethylene–hyaluronan microcomposite for use in total joint replacements. I. Synthesis and physical/chemical characterization, 86
Zhang, X. See Zhu, L., 515
Zhao, J. See Zhu, L., 515
Zhao, N. See Zhu, L., 515
Zhao, Y. See Zhu, L., 515
Zhou, Y. F.
—; Sae-Lim, V.; Chou, A. M.; Hutmacher, D. W.; Lim, T. M.: Does seeding density affect *in vitro* mineral nodules formation in novel composite scaffolds?, 183
Zhu, L.
—; Ye, X.; Tang, G.; Zhao, N.; Gong, Y.; Zhao, Y.; Zhao, J.; Zhang, X.: Corrosion test, cell behavior test, and *in vivo* study of gradient TiO_2 layers produced by compound electrochemical oxidation, 515
Zubiate, B. See Stachelek, S. J., 653

Journal of Biomedical Materials Research
Subject index—Volume 78A

Accelerated cell growth, 97
Acrylics, 523
Adhesion, 97, 222, 558, 668, 836
Adsorption, 466
Agarose, 213
Albumin adsorption, 581
Alginate, 523
Alumina, 581
Alveolar osteoblasts, 183
Amylase, 755
Angiogenesis, 59
Annealing, 121
Antibiotic, 532
Anticancer drugs, 12
Antimicrobial, 50
Antioxidants, 653
Aortic valve, 383
Apatite, 306, 316
Architecture, 605
6-armPEG-α-CD, 590
Ascorbic acid, 590
Atomic force microscopy, 352, 466

Basal lamina, 615
Bioabsorbable, 532
Bioactive glasses, 508
Bioactivity, 34, 739, 772
Bioadhesion, 523
Biocompatibility, 129, 175, 343, 394, 515, 629, 668, 684, 762
Biodegradable implant, 276, 702
Biodegradable polymers, 12
Biofilm, 836
Biological activity, 247
Biomaterials, 110, 175, 491, 772, 808, 836
Biomechanical testing, 291
Biomimetic coating, 693
Bladder, 157
Blood, 491
BMP-2, 324
Bone, 324
Bone cement, 629
Bone graft, 129
Bone implant, 449, 808
Bone repair, 139
Bone substitutes, 416
Bone-tissue interface, 20

Calcium phosphate, 42, 129, 258, 481, 570, 629, 762
Calcium phosphate bone cement, 104, 739
Calcium phosphate coating, 558
Cancer nanotechnology, 12
Cartilage, 236, 729
Cartilage tissue engineering, 676
Castration, 570
Catheter abrasion, 399
$CD34^+$ cell, 491
Cell adhesion, 194, 676, 684
Cell alignment, 746
Cell culture, 316, 762
Cell morphology, 676
Cell separation, 491
Cell-substrate interface, 808
Cellular targeting, 550
Ceramics, 541
Chemotherapy, 12
Chitosan, 372, 668
Chondrocyte, 1
C-myc, 283
Co-alloy, 34
Coatings, 42
Coatings/films, 121
Cobalt alloy, 581
Collagen, 148
Collagen gel, 407
Complement, 620
Composite, 129, 183, 306, 515, 541, 693
Contact angle, 372
Controlled drug release, 276, 523
Controlled release, 335, 823
Corrosion, 515
Cranial defect, 335
Crosslinked polyethylene, 473
Crosslinking, 459
Crystallinity, 258
Cytocompatibility, 50
Cytotoxicity, 175, 343

Degradable hydrogel, 823
Dental/craniofacial material, 721
Dental implant, 291, 466
Dexamethasone, 276
Differentiation, 42, 709
Diffusion-ordered NMR spectroscopy, 523

Drug delivery system, 441, 532, 702
Drug formulation, 12
DSC, 721

ECM, 194
Elastin-like, 343
Elastomer, 653
Electron microscopy, 20, 25
Electrospinning, 110, 247
Electrostatic, 352
Electrostatic spray deposition, 258, 558
Encapsulation, 110
Endothelial cell, 399, 615
Enhancers, 590
Enzymes, 755
Epididymus, 66
Epilepsy, 441
ePTFE, 59
Erythropoietin, 459
Expansion, 781
Extracellular matrix, 59, 73

FGF-2, 792
Fibrin, 702
Fibrinogen, 466
Fibroblast growth factor (FGF)-2, 364
Fibroblasts, 50
Fibronectin, 781
Fibro-porous, 110
Foaming, 662
Focused ion beam microscopy, 20
Folic acid, 550
Force spectroscopy, 466
Foreign body response, 394
Fracture fixation, 541
Free energy, 843
Freezing/thawing process, 662
Friction, 236, 581

Gelatin, 739
Gelatin microspheres, 823
Gene expression, 808
Gene therapy, 335
Gene transfer, 702
Graft copolymerization, 372

Hard segment, 653
Hematopoietic stem cells, 781
Heparanase, 792

Heparan-like polymer, 792
Heparin (Hep) hydrogel, 364
Hepatocyte, 268
Histology, 629
Human cartilage, 168
Hyaluronan, 86
Hyaluronic acid, 459
Hydration, 148
Hydrogel, 1, 335, 459
Hydrophobicity, 247
Hydroxyapatite, 25, 34, 121, 222, 500, 693, 772

Immobilization, 781
Implant, 20
Implantation, 175
Infection, 836
Injectable material, 570
In situ, 772
Integrins, 73
Interconnected porosity, 25, 508
Interface, 291
Interleukin, 104
Intraocular, 343
Intraocular lens, 684
In vitro, 258, 481
In vitro biocompatibility, 739
In vitro test, 129
Ion migration, 148
IPN, 662

Laminin, 213
Laminin 1, 59
Laser, 746
Laser-deposition, 298
Leukocyte, 104
Lipid nanocapsules, 620
Local delivery, 276
Lubrication, 236
Lysozyme, 755

Macrophage, 620
Magnetron sputtering, 42
Matrix, 1, 306
Mechanical loads, 407
Mechanical properties, 298, 558
Mechanical testing, 168
Mechanics, 729
Mesenchymal cells, 449
Mice and rats, 175
Microcapsule, 394
Microcomposite, 86
MicroCT, 570
Microencapsulation, 394
Micro-hardness, 168
Microporosity, 222
Microporous surface, 693
Microscale, 729
Microstructure, 20, 298, 729
Molecular biocompatibility, 283
Molecular vibrational analysis, 441
Monocytes CD14 positive, 709
Morsellized bone grafting, 423
MRI, 550
Multiway analysis, 423

Nanocomposites, 372
Nanocrystalline, 316
Nanofabrication, 194
Nanofiber, 247, 306
Nanoindentation, 729
Nanomechanics, 352
Nanometer, 500
Nanometer-sized UHMWPE particles, 473
Nanoparticle, 550
Nanostructured reservoir, 441
Nanostructures, 746
Nanotechnology, 595, 798
Neovascularization, 59
Nerve regeneration, 213
Neurite extension, 213
Nonanticoagulant heparin (NAC-Hep), 364
Nonfouling surfaces, 843

6-O-desulfated (DS-) heparin, 364
Orthopedic, 500, 541, 595
Orthopedic implants, 298
Osseointegration, 291
Osteoarthritis, 236
Osteoblast, 121, 433, 481, 500, 595, 798, 808
Osteoblast-like cells, 258
Osteoblastic cells, 97. 222
Osteoclasis, 709
Osteoconduction, 629
Osteogenesis, 73
Osteogenic capacity, 139
Osteoinductive, 139
Osteoinductive potential, 139
Osteomyelitis, 532
Osteoporosis-treatment, 570
Oxidation, 653

p53, 283
PCL, 183
Peptides, 236
Pericardial adhesion, 276
Peripheral blood mononuclear cells, 709
Peritoneum, 668
pHEMA, 721
Phospholipid, 684
Photoreactivity, 721
Plasma treatment, 684
Plasmid DNA, 823
PLGA, 798
Polyacrylamide Hydrogel, 283
Polyethylene, 86
Polyethylene glycol, 620
Poly(ethylene oxide terephthalate)–poly(butylene terephthalate), 605
Polylactic acid, 372
Poly(lactide), 247
Poly(lactide-*co*-glycolide) nanosphere, 268
Polymer, 110, 306, 433, 532
Polymerization, 721
Polymer materials, 205
Polymer science and technology, 205
Polymer synthesis, 205
Polystyrene, 746
Polyurethane membrane, 491
Poly(VPAVG), 343
Porcine SIS, 383
Pore, 662
Porosity, 605
Porous NiTi, 316
Proliferation, 42
Protein adsorption, 222, 620, 843
Protein gradients, 213

Quantum mechanics calculations, 441

Radial artery explant, 383
Rat bone marrow cell, 42
Rat C6 glioma cells, 746
Real time PCR, 283
Regenerative medicine, 1, 157
Resin composite, 66
Restorative materials, 755
RFGD, 615
RGTA, 792
Room temperature shaping agarose, 508

S. epidermidis, 595, 836
Salivary pellicle, 755
Scaffold, 1, 194, 306, 772, 781
3D Scaffolds, 605
Scaffolds for tissue engineering, 508
Scratch testing, 558
Seeding density, 183
Self-assembly, 157
SHS, 316
Silicon, 25, 121, 762
Silicon-substituted hydroxyapatite, 352, 709
Silk, 324
Sol–gel, 441
Sperm counts, 66
Spheroid, 268
Spine arthrodesis, 416
Stabilization, 590
Stainless steel, 581
Staphylococci, 50
Stem cells, 73, 324
Stent coating, 399
Stent endothelialization, 399
Stiffness, 407
Strength and deformation, 168
Subsieve-size capsule, 394
Substrate porosity, 676

Sugar, 306
Superacid, 615
Suppression, 104
Supramolecular, 157
Surface analysis, 449
Surface chemistry, 291
Surface interaction, 433
Surface modification, 86, 449, 684
Sustained release, 459
Swelling, 605, 662
Synthetic materials, 139

Tannic acid, 148
T-cell, 104
TCP, 183
TEM, 25
Testis, 66
Thermodynamics, 843
TiO_2, 441, 595
TiO_2 nanotubes, 97
Tissue engineering, 73, 110, 157, 194, 383, 407, 433, 605, 702, 798, 823
Tissue stabilization, 148
Titania, 798
Titanium, 50, 298, 449
Titanium alloy, 676
Titanium oxide, 515
Total hip replacement (THR), 473
Total joint replacements, 86
Total knee replacement (TKR), 473
Transdermal absorption, 590
Transdermal patches, 590
Tricalcium phosphate, 416

UV-cross-linkable, 668

Van der Waals, 352
Vascularization, 364
Viable fetuses, 66
Viscoelastic, 407

Water absorption, 372
Wear simulation, 473
Wettability, 291
Whisker, 481
Wollastonite, 34

Zirconia, 500, 693
ZnO, 595

JOURNAL OF BIOMEDICAL MATERIALS RESEARCH
PART A

Volume 78A Contents 2006

July 2006
Volume 78A
Issue No. 1

1 Cartilage Tissue Engineering Using Human Auricular Chondrocytes Embedded in Different Hydrogel Materials
H. Yamaoka, H. Asato, T. Ogasawara, S. Nishizawa, T. Takahashi, T. Nakatsuka, I. Koshima, K. Nakamura, H. Kawaguchi, U. Chung, T. Takato, and K. Hoshi
Published online 4 April 2006

12 Nanoparticles of Poly(D,L-Lactide)/Methoxy Poly(Ethylene Glycol)-Poly(D,L-Lactide) Blends For Controlled Release of Paclitaxel
Y. Dong and S.-S. Feng
Published online 4 April 2006

20 A Novel Tool For High-Resolution Transmission Electron Microscopy of Intact Interfaces Between Bone and Metallic Implants
H. Engqvist, G.A. Botton, M. Couillard, S. Mohammadi, J. Malmström, L. Emanuelsson, L. Hermansson, M.W. Phaneuf, and P. Thomsen
Published online 4 April 2006

25 The Structure of The Bond Between Bone and Porous Silicon-Substituted Hydroxyapatite Bioceramic Implants
A. E. Porter, T. Buckland, K. Hing, S. M. Best, and W. Bonfield
Published online 4 April 2006

34 Bioactivation of a Cobalt Alloy by Coating With Wollastonite During Investment Casting
J.M. Almanza, J.C. Escobedo, J.C. Ortiz, and D.A. Cortés
Published online 5 April 2006

42 Growth Behavior of Rat Bone Marrow Cells on RF Magnetron Sputtered Hydroxyapatite and Dicalcium Pyrophosphate Coatings
Y. Yan, J.G.C. Wolke, A. De Ruijter, L. Yubao, and J.A. Jansen
Published online 6 April 2006

50 Bacteria and Cell Cytocompatibility Studies on Coated Medical Grade Titanium Surfaces
L.G. Harris, L. Mead, E. Müller-Oberländer, and R.G. Richards
Published online 6 April 2006

59 Covalent Modification of Porous Implants Using Extracellular Matrix Proteins to Accelerate Neovascularization
S. K. Williams, L. B. Kleinert, K. M. Hagen, and D. L. Clapper
Published online 6 April 2006

66 *In Vivo* Effects of BISGMA—a Component of Dental Composite—on Male Mouse Reproduction and Fertility
A. S. Al-Hiyasat and H. Darmani
Published online 6 April 2006

73 Adhesion of Mesenchymal Stem Cells to Polymer Scaffolds Occurs Via Distinct ECM Ligands and Controls Their Osteogenic Differentiation
S. R. Chastain, A. K. Kundu, S. Dhar, J. W. Calvert, and A. J. Putnam
Published online 6 April 2006

86 A Novel Ultra High Molecular Weight Polyethylene–Hyaluronan Microcomposite For Use in Total Joint Replacements. I. Synthesis and Physical/Chemical Characterization
M. Zhang, R. King, M. Hanes, and S. P. James
Published online 6 April 2006

97 Significantly Accelerated Osteoblast Cell Growth on Aligned TiO_2 Nanotubes
S. Oh, C. Daraio, L.-H. Chen, T. R. Pisanic, R. R. Fiñones, and S. Jin
Published online 6 April 2006

104 Cytokine Release of Mononuclear Leukocytes (PBMC) After Contact to a Carbonated Calcium Phosphate Bone Cement
T.A. Schildhauer, J.R. Chapman, G. Muhr, and M. Köller
Published online 6 April 2006

110 A Unique Device For Controlled Electrospinning
S.B. Mitchell and J.E. Sanders
Published online 7 April 2006

121 Silicon-Substituted Hydroxyapatite Thin Films: Effect of Annealing Temperature on Coating Stability and Bioactivity
E. S. Thian, J. Huang, S. M. Best, Z. H. Barber, and W. Bonfield
Published online 7 April 2006

129 Effect of Reinforcement Particle Size on *In Vitro* Behavior of β-Tricalcium Phosphate-Reinforced High-Density Polyethylene: A Novel Orthopedic Composite
S. SH. Homaeigohar, M. A. Shokrgozar, J. Javadpour, A. Khavandi, and A. Y. Sadi
Published online 12 April 2006

139 A Comparison of Bone Formation in Biphasic Calcium Phosphate (BCP) and Hydroxyapatite (HA) Implanted in Muscle and Bone of Dogs at Different Time Periods
H. Yuan, C.A. van Blitterswijk, K. de Groot, and J.D. de Bruijn
Published online 17 April 2006

148 Tannic Acid-Stabilized Pericardium Tissue: IR Spectroscopy, Atomic Force Microscopy, and Dielectric Spectroscopy Investigations
M. Jastrzebska, J. Zalewska-Rejdak, R. Wrzalik, A. Kocot, I. Mroz, B. Barwinski, A. Turek, and B. Cwalina
Published online 17 April 2006

157 Branched Peptide-Amphiphiles as Self-Assembling Coatings For Tissue Engineering Scaffolds
D. A. Harrington, E. Y. Cheng, M. O. Guler, L. K. Lee, J. L. Donovan, R. C. Claussen, and S. I. Stupp
Published online 17 April 2006

168 Determination of Strength and Deformation Behavior of Human Cartilage For The Definition of Significant Parameters
W. Grellmann, A. Berghaus, E.-J. Haberland, Y. Jamali, K. Holweg, K. Reincke, and C. Bierögel
Published online 20 April 2006

175 *In Vitro* and *In Vivo* (Cyto)Toxicity Assays Using PVC and LDPE as Model Materials
E. A. E. Van Tienhoven, D. Korbee, L. Schipper, H. W. Verharen, and W. H. De Jong
Published online 20 April 2006

183 Does Seeding Density Affect *In Vitro* Mineral Nodules Formation in Novel Composite Scaffolds?
Y.F. Zhou, V. Sae-Lim, A.M. Chou, D.W. Hutmacher, and T.M. Lim
Published online 20 April 2006

194 Multiphoton Excited Fabricated Nano and Micro Patterned Extracellular Matrix Proteins Direct Cellular Morphology
G. D. Pins, K. A. Bush, L. P. Cunningham, and P. J. Campagnola
Published online 24 April 2006

Review

205 Hydrophilic Molecularly Imprinted Poly(Hydroxyethyl-Methacrylate) Polymers
E. Oral and N. A. Peppas
Published online 6 April 2006

August 2006
Volume 78A
Issue No. 2

Erratum

211 Cyclic Biaxial Strain Affects U937 Macrophage-Like Morphology and Enzymatic Activities
L. A. Matheson, G. N. Maksym, J. P. Santerre, and R. S. Labow
Published online 24 April 2006

213 Anisotropic Scaffolds Facilitate Enhanced Neurite Extension *In Vitro*
M. C. Dodla and R. V. Bellamkonda
Published online 24 May 2006

222 Influence of Hydroxyapatite Microstructure on Human Bone Cell Response
M. Rouahi, O. Gallet, E. Champion, J. Dentzer, P. Hardouin, and K. Anselme
Published online 20 April 2006

236 Self-Assembling Peptides as Injectable Lubricants For Osteoarthritis
C. J. Bell, L. M. Carrick, J. Katta, Z. Jin, E. Ingham, A. Aggeli, N. Boden, T. A. Waigh, and J. Fisher
Published online 20 April 2006

247 Hydrophilic Nanofibrous Structure of Polylactide; Fabrication and Cell Affinity
S. R. Bhattarai, N. Bhattarai, P. Viswanathamurthi, H. K. Yi, P. H. Hwang, and H. Y. Kim
Published online 20 April 2006

258 The Influence of The Crystallinity of Electrostatic Spray Deposition-Derived Coatings on Osteoblast-Like Cell Behavior, *In Vitro*
M.C. Siebers, X.F. Walboomers, S.C.G. Leeuwenburgh, J.G.C. Wolke, and J.A. Jansen
Published online 20 April 2006

268 A Method for The Effective Formation of Hepatocyte Spheroids Using a Biodegradable Polymer Nanosphere
S.-J. Gwak, D. Choi, S. S. Paik, S.-W. Cho, S.-S. Kim, C. Y. Choi, and B.-S. Kim
Published online 20 April 2006

276 Site-Specific Delivery of Dexamethasone From Biodegradable Implants Reduces Formation of Pericardial Adhesions in Rabbits
M. Chorny, D. Mishaly, A. Leibowitz, A. J. Domb, and G. Golomb
Published online 20 April 2006

283 Cytotoxicity and Altered *c-myc* Gene Expression by Medical Polyacrylamide Hydrogel
T.F. Xi, C.X. Fan, X.M. Feng, Z.Y. Wan, C.R. Wang, and L.L. Chou
Published online 24 April 2006

291 Biomechanical Evaluation of The Interfacial Strength of a Chemically Modified Sandblasted and Acid-Etched Titanium Surface
S.J. Ferguson, N. Broggini, M. Wieland, M. de Wild, F. Rupp, J. Geis-Gerstorfer, D.L. Cochran, and D. Buser
Published online 24 April 2006

298 Laser-Deposited Ti-Nb-Zr-Ta Orthopedic Alloys
R. Banerjee, S. Nag, S. Samuel, and H.L. Fraser
Published online 24 April 2006

306 Macroporous and Nanofibrous Polymer Scaffolds and Polymer/Bone-Like Apatite Composite Scaffolds Generated by Sugar Spheres
G. Wei and P. X. Ma
Published online 24 April 2006

316 *In Vitro* Bioactivity and Osteoblast Response of Porous NiTi Synthesized by SHS Using Nanocrystalline Ni-Ti Reaction Agent
Y.W. Gu, H. Li, B.Y. Tay, C.S. Lim, M.S. Yong, and K.A. Khor
Published online 24 April 2006

324 Porous Silk Fibroin 3-D Scaffolds For Delivery of Bone Morphogenetic Protein-2 *In Vitro* and *In Vivo*
V. Karageorgiou, M. Tomkins, R. Fajardo, L. Meinel, B. Snyder, K. Wade, J. Chen, G. Vunjak-Novakovic, and D. L. Kaplan
Published online 24 April 2006

335 Evaluation of Bone Regeneration by DNA Release From Composites of Oligo(Poly(Ethylene Glycol) Fumarate) and Cationized Gelatin Microspheres in a Critical-Sized Calvarial Defect
F. K. Kasper, S. Young, K. Tanahashi, M. A. Barry, Y. Tabata, J. A. Jansen, and A. G. Mikos
Published online 25 April 2006

343 Biocompatibility of Elastin-Like Polymer Poly(VPAVG) Microparticles: *In Vitro* and *In Vivo* Studies
A.C. Rincón, I. T. Molina-Martinez, B. de las Heras, M. Alonso, C. Baílez, J.C. Rodríguez-Cabello, and R. Herrero-Vanrell
Published online 27 April 2006

352 Silicon Addition to Hydroxyapatite Increases Nanoscale Electrostatic, van der Waals, and Adhesive Interactions
J. Vandiver, D. Dean, N. Patel, C. Botelho, S. Best, J. D. Santos, M. A. Lopes, W. Bonfield, and C. Ortiz
Published online 27 April 2006

364 Controlled Release of Fibroblast Growth Factor-2 From an Injectable 6-O-Desulfated Heparin Hydrogel and Subsequent Effect on *In Vivo* Vascularization
S. Nakamura, M. Ishihara, K. Obara, K. Masuoka, T. Ishizuka, Y. Kanatani, B. Takase, T. Matsui, H. Hattori, T. Sato, Y. Kariya, and T. Maehara
Published online 3 May 2006

372 Preparation and Characterization of Novel Hybrid of Chitosan-*g*-Lactic Acid and Montmorillonite
D. Depan, A. P. Kumar, and R. P. Singh
Published online 3 May 2006

383 Radial Artery as an Autologous Cell Source For Valvular Tissue Engineering Efforts
D. E. Johnston, D. R. Boughner, M. Cimini, and K. A. Rogers
Published online 5 May 2006

394 Biocompatibility of Subsieve-Size Capsules Versus Conventional-Size Microcapsules
S. Sakai, C. Mu, K. Kawabata, I. Hashimoto, and K. Kawakami
Published online 5 May 2006

399 Influence of Various Cell-Detachment Solutions on Endothelial Cells After Catheter Abrasion For Prosthesis Colonization Prior to Implantation
M. Priebe, S. Müller-Hülsbeck, T. Jahnke, N. Charalambous, J. Hedderich, M. Heller, and F. P. Paulsen
Published online 16 May 2006

407 Complex Dependence of Substrate Stiffness and Serum Concentration on Cell-Force Generation
D. Karamichos, R.A. Brown, and V. Mudera
Published online 19 May 2006

416 Biological Performance of a New β-TCP/PLLA Composite Material For Applications in Spine Surgery: *In Vitro* and *In Vivo* Studies
S. Aunoble, D. Clément, P. Frayssinet, M. F. Harmand, and J. C. Le Huec
Published online 23 May 2006

423 Factors Affecting Stiffness Properties in Impacted Morsellized Bone Used in Revision Hip Surgery: An Experimental *In Vitro* Study
L. Fosse, H. Rønningen, P. Benum, S. Lydersen, and R. B Sandven
Published online 31 May 2006

Erratum

432 Crystallographic Texture For Tube and Plate of The Superelastic/Shape-Memory Alloy Nitinol Used For Endovascular Stents
S. W. Robertson, V. Imbeni, H.-R. Wenk, and R. O. Ritchie
Published online 31 May 2006.

September 1, 2006
Volume 78A
Issue No. 3

433 Osteoblast-Like Cell Attachment to and Calcification of Novel Phosphonate-Containing Polymeric Substrates
R. A. Gemeinhart, C. M. Bare, R. T. Haasch, and E. J. Gemeinhart
Published online 31 May 2006

441 Molecular Vibrational Analysis and MAS-NMR Spectroscopy Study of Epilepsy Drugs Encapsulated in TiO_2-Sol–Gel Reservoirs
T. Lopez, J. Navarrete, R. Conde, J.A. Ascencio, J. Manjarrez, and R.D. Gonzalez
Published online 23 May 2006

449 Collagen I-Coated Titanium Surfaces: Mesenchymal Cell Adhesion and *In Vivo* Evaluation in Trabecular Bone Implants
M. Morra, C. Cassinelli, G. Cascardo, L. Mazzucco, P. Borzini, M. Fini, G. Giavaresi, and R. Giardino
Published online 23 May 2006

459 Selectively Crosslinked Hyaluronic Acid Hydrogels For Sustained Release Formulation of Erythropoietin
K. Motokawa, S. K. Hahn, T. Nakamura, H. Miyamoto, and T. Shimoboji
Published online 23 May 2006

466 AFM Force Spectroscopy of The Fibrinogen Adsorption Process Onto Dental Implants
A. Boukari, G. Francius, and J. Hemmerlé
Published online 23 May 2006

473 Isolation and Characterization of UHMWPE Wear Particles Down to Ten Nanometers in Size From *In Vitro* Hip and Knee Joint Simulators
J.L. Tipper, A.L. Galvin, S. Williams, H.M.J. McEwen, M.H. Stone, E. Ingham, and J. Fisher
Published online 23 May 2006

481 *In Vitro* Testing of Calcium Phosphate (HA, TCP, and Biphasic HA-TCP) Whiskers
S. Jalota, S. B. Bhaduri, and A. C. Tas
Published online 23 May 2006

491 Separation of $CD34^+$ Cells From Human Peripheral Blood Through Polyurethane Foaming Membranes
A. Higuchi, A. Iizuka, Y. Gomei, T. Miyazaki, M. Sakurai, Y. Matsuoka, and S. H. Natori
Published online 30 May 2006

500 Increased Osteoblast Adhesion on Nanograined Hydroxyapatite and Partially Stabilized Zirconia Composites
Z. Evis, M. Sato, and T. J. Webster
Published online 30 May 2006

508 Room Temperature Synthesis of Agarose/Sol–Gel Glass Pieces With Tailored Interconnected Porosity
M.V. Cabañas, J. Peña, J. Román, and M. Vallet-Regí
Published online 30 May 2006

515 Corrosion Test, Cell Behavior Test, and *In Vivo* Study of Gradient TiO_2 Layers Produced by Compound Electrochemical Oxidation
L. Zhu, X. Ye, G. Tang, N. Zhao, Y. Gong, Y. Zhao, J. Zhao, and X. Zhang
Published online 30 May 2006

523 Novel Alginate–Acrylic Polymers as a Platform For Drug Delivery
P. Laurienzo, M. Malinconico, G. Mattia, R. Russo, M.I. La Rotonda, F. Quaglia, D. Capitani, and L. Mannina
Published online 30 May 2006

532 *In Vitro* and *In Vivo* Testing of Bioabsorbable Antibiotic Containing Bone Filler For Osteomyelitis Treatment
J. K. Koort, E. Suokas, M. Veiranto, T. J. Mäkinen, J. Jalava, P. Törmälä, and H. T. Aro
Published online 30 May 2006

541 *In Vitro* Flexural Properties of Hydroxyapatite and Self-Reinforced Poly(L-Lactic Acid)
D. D. Wright-Charlesworth, J. A. King, D. M. Miller, and C. H. Lim
Published online 30 May 2006

550 Folic Acid-PEG Conjugated Superparamagnetic Nanoparticles For Targeted Cellular Uptake and Detection by MRI
C. Sun, R. Sze, and M. Zhang
Published online 30 May 2006

558 Mechanical Properties of Porous, Electrosprayed Calcium Phosphate Coatings
S.C.G. Leeuwenburgh, J.G.C. Wolke, L. Lommen, T. Pooters, J. Schoonman, and J.A. Jansen
Published online 30 May 2006

570 Evaluation of an Injectable Bone Substitute (βTCP/Hydroxyapatite/Hydroxy-Propyl-Methyl-Cellulose) in Severely Osteopenic and Aged Rats
S. Blouin, M.F. Moreau, P. Weiss, G. Daculsi, M.F. Baslé, and D. Chappard
Published online 31 May 2006

581 Adsorption of Albumin on Prosthetic Materials: Implication For Tribological Behavior
A.P. Serro, M.P. Gispert, M.C.L. Martins, P. Brogueira, R. Colaço, and B. Saramago
Published online 31 May 2006

590 Influence of Poly(Ethylene Glycol)-α-Cyclodextrin Complexes on Stabilization and Transdermal Permeation of Ascorbic Acid
S. Davaran, J. Hanaee, M. R. Rashidi, F. Valiolah, and M. Hashemi
Published online 31 May 2006

595 Increased Osteoblast and Decreased *Staphylococcus epidermidis* Functions on Nanophase ZnO and TiO_2
G. Colon, B. C. Ward, and T. J. Webster
Published online 2 June 2006

605 Dynamic Mechanical Properties of 3D Fiber-Deposited PEOT/PBT Scaffolds: An Experimental and Numerical Analysis
L. Moroni, G. Poort, F. V. Keulen, J.R. de Wijn, and C.A. van Blitterswijk
Published online 6 June 2006

615 Directed Type IV Collagen Self-Assembly on Hydroxylated PTFE
N. S. Ludwig, C. Yoder, M. McConney, T. G. Vargo, and K. N. Kader
Published online 6 June 2006

620 Evaluation of Pegylated Lipid Nanocapsules Versus Complement System Activation and Macrophage Uptake
A. Vonarbourg, C. Passirani, P. Saulnier, P. Simard, J.C. Leroux, and J.P. Benoit
Published online 15 June 2006

629 The Biocompatibility and Osteoconductivity of a Cement Containing β-TCP For Use in Vertebroplasty
K. Goto, S. Shinzato, S. Fujibayashi, J. Tamura, K. Kawanabe, S. Hasegawa, R. Kowalski, and T. Nakamura
Published online 20 June 2006

Erratum

638 Regeneration of Whole Meniscus Using Meniscal Cells and Polymer Scaffolds in a Rabbit Total Meniscectomy Model
S.-W. Kang, S.-M. Son, J.-S. Lee, E.-S. Lee, K.-Y. Lee, S.-G. Park, J.-H. Park, and B.-S. Kim
Published online 2 March 2006

September 15, 2006
Volume 78A
Issue No. 4

653 Prevention of Oxidative Degradation of Polyurethane by Covalent Attachment of Di-*Tert*-Butylphenol Residues
S. J. Stachelek, I. Alferiev, H. Choi, C. W. Chan, B. Zubiate, M. Sacks, R. Composto, I-W. Chen, and R. J. Levy
Published online 30 May 2006

662 Swelling and Mechanical Properties of Glycol Chitosan/Poly(Vinyl Alcohol) IPN-Type Superporous Hydrogels
H. Park and D. Kim
Published online 31 May 2006

668 Peritoneal Application of Chitosan and UV-Cross-Linkable Chitosan
Y. Yeo, J. A. Burdick, C. B. Highley, R. Marini, R. Langer, and D. S. Kohane
Published online 31 May 2006

676 Substrate Porosity Enhances Chondrocyte Attachment, Spreading, and Cartilage Tissue Formation *In Vitro*
C.G. Spiteri, R.M. Pilliar, and R.A. Kandel
Published online 31 May 2006

684 Improvement of the Surface Biocompatibility of Silicone Intraocular Lens by the Plasma-Induced Tethering of Phospholipid Moieties
K. Yao, X.-D. Huang, X.-J. Huang, and Z.-K. Xu
Published online 31 May 2006

693 Bone-Bonding Ability of a Hydroxyapatite Coated Zirconia–Alumina Nanocomposite With a Microporous Surface
M. Takemoto, S. Fujibayashi, M. Neo, J. Suzuki, T. Kokubo, and T. Nakamura
Published online 31 May 2006

702 Optimization of a Fibrin Scaffold For Sustained Release of an Adenoviral Gene Vector
A. Breen, P. Strappe, A. Kumar, T. O'Brien, and A. Pandit
Published online 31 May 2006

709 Differentiation of Mononuclear Precursors Into Osteoclasts on the Surface of Si-Substituted Hydroxyapatite
C.M. Botelho, R.A. Brooks, G. Spence, I. McFarlane, M.A. Lopes, S.M. Best, J.D. Santos, N. Rushton, and W. Bonfield
Published online 31 May 2006

721 Effect of Coinitiator and Water on the Photoreactivity and Photopolymerization of HEMA/Camphoquinone-Based Reactant Mixtures
Y. Wang, P. Spencer, X. Yao, and Q. Ye
Published online 31 May 2006

729 Nanoindentation Differentiates Tissue-Scale Functional Properties of Native Articular Cartilage
C. Li, L. A. Pruitt, and K. B. King
Published online 31 May 2006

739 Normal and Osteopenic Bone-Derived Osteoblast Response to a Biomimetic Gelatin–Calcium Phosphate Bone Cement
A. Bigi, S. Panzavolta, L. Sturba, P. Torricelli, M. Fini, and R. Giardino
Published online 31 May 2006

746 Influence of Physicochemical Properties of Laser-Modified Polystyrene on Bovine Serum Albumin Adsorption and Rat C6 Glioma Cell Behavior
X. Wang, C. A. Ohlin, Q. Lu, and J. Hu
Published online 31 May 2006

755 Influence of Different Restorative Materials on Lysozyme and Amylase Activity of the Salivary Pellicle *In Situ*
C. Hannig, M. Wasser, K. Becker, M. Hannig, K. Huber, and T. Attin
Published online 31 May 2006

762 Crystallochemistry, Textural Properties, and *In Vitro* Biocompatibility of Different Silicon-Doped Calcium Phosphates
D. Arcos, S. Sánchez-Salcedo, I. Izquierdo-Barba, L. Ruiz, J. González-Calbet, and M. Vallet-Regí
Published online 31 May 2006

772 Bioactivity in *In Situ* Hydroxyapatite–Polycaprolactone Composites
D. Verma, K. Katti, and D. Katti
Published online 31 May 2006

781 Expansion of Engrafting Human Hematopoietic Stem/Progenitor Cells in Three-Dimensional Scaffolds With Surface-Immobilized Fibronectin
Q. Feng, C. Chai, X.-S. Jiang, K. W. Leong, and H.-Q. Mao
Published online 31 May 2006

792 Heparin-Like Synthetic Polymers, Named RGTAs, Mimic Biological Effects of Heparin *In Vitro*
V. Rouet, A. Meddahi-Pellé, H.-Q. Miao, I. Vlodavsky, J.-P. Caruelle, and D. Barritault
Published online 1 June 2006

798 Increased Osteoblast Functions Among Nanophase Titania/Poly(Lactide-co-Glycolide) Composites of the Highest Nanometer Surface Roughness
H. Liu, E. B. Slamovich, and T. J. Webster
Published online 1 June 2006

808 Modified Aminosilane Substrates to Evaluate Osteoblast Attachment, Growth, and Gene Expression *In Vitro*
L.M. Siperko, R. Jacquet, and W.J. Landis
Published online 1 June 2006

823 Characterization of DNA Release From Composites of Oligo(Ppoly(Eethylene Glycol) Fumarate) and Cationized Gelatin Microspheres *In Vitro*
F. K. Kasper, E. Jerkins, K. Tanahashi, M. A. Barry, Y. Tabata, and A. G. Mikos
Published online 1 June 2006

836 Effects of Bbiomaterial Ssurface Cchemistry on the Aadhesion and Bbiofilm Fformation of *Staphylococcus Eepidermidis Iin vitro*
E. E. MacKintosh, J. D. Patel, R. E. Marchant, and J. M. Anderson
Published online 30 June 2006

843 Thermodynamic Pperspectives on the Mmolecular Mmechanisms Pproviding Pprotein Aadsorption Rresistance that Iinclude Pprotein-Ssurface Iinteractions
R. A. Latour
Published online 10 July 2006

856 Author Index to Volume 78A

863 Subject Index to Volume 78A

Volume 78A Contents

Journal of Biomedical Materials Research (Applied Biomaterials) Author Index—Volume 78B

Abbas, G. See Okaplugo, T. I. T., 222
Acar, A. See İnan, Ö., 393
Affatato, S.
—; Torrecillas, R.; Taddei, P.; Rocchi, M.; Fagnano, C.; Ciapetti, G.; Toni, A.: Advanced nanocomposite materials for orthopaedic applications. I. A long-term *in vitro* wear study of zirconia-toughened alumina, 76
Alonso, R. C. B. See Correr, G. M., 105
Ando, W. See Kaito, T., 378
Asaoka, K. See Yokoyama, K., 204
Atsuta, M. See Yang, L., 161

Babalola, O. See Cottrell, J. M., 15
Badylak, S. F. See Freytes, D. O., 327
Barbosa, A. A. Jr. See Miguel, F. B., 334
Bellamkonda, R. See Patz, T. M., 124
Bellón, J. M.
—; García-Honduvilla, N.; Rodríguez, M.; Pascual, G.; Gómez-Gil, V.; Buján, J.: Influence of the structure of new generation prostheses on shrinkage after implant in the abdominal wall, 340
Bracco, P. See Costa, L., 20
Buján, J. See Bellón, J. M., 340
Busscher, H. J. See Chin, M. Y. H., 401
Buyukbas, S. See Sengun, A., 131

Cao, C. See Ma, X., 89
Cao, M. See Gao, F., 385
Cardoso, A. K. M. V. See Miguel, F. B., 334
Cardoso, P. E. C. See Sadek, F. T., 7
Carone, T. W.
—; Hasenwinkel, J. M.: Mechanical and morphological characterization of homogeneous and bilayered poly(2-hydroxyethyl methacrylate) scaffolds for use in CNS nerve regeneration, 274
Cavalcante, L. M. See Ritter, A. V., 302
Cesar, P. F.
—; Yoshimura, H. N.; Miranda, W. G. Jr.; Miyazaki, C. L.; Muta, L. M.: Relationship between fracture toughness and flexural strength in dental porcelains, 265
Chang, J. See Wu, C., 47
Chen, C.-C.
—; Huang, T.-H.; Kao, C.-T.; Ding, S.-J.: Characterization of functionally graded hydroxyapatite/titanium composite coatings plasma-sprayed on Ti alloys, 146
Cherng, A. M.
—; Takagi, S.; Chow, L.: Reduction in dentin permeability using a slurry containing dicalcium phosphate and calcium hydroxide, 291
Cheung, W. H. See Leung, K. S., 153
Chin, M. Y. H.
—; Sandham, A.; Pratten, J.; De Vries, J.; van der Mei, H. C.; Busscher, H. J.: Multivariate analysis of surface physicochemical properties controlling biofilm formation on orthodontic adhesives prior to and after fluoride and chlorhexidine treatment, 401
Cho, B.-H. See Kim, J.-S., 115
Choi, M.-S.
—; Lee, Y.-K.; Lim, B.-S.; Rhee, S.-H.; Yang, H.-C.; Lim, Y.-J.: Changes in color and translucency of porcelain-repairing resin composites after thermocycling, 1
Choi, Y.-H. See Kim, J.-S., 115
Chow, L. See Cherng, A. M., 291
Chrisey, D. B. See Patz, T. M., 124
Chumnanklang, R. See Suwanprateeb, J., 138
Ciapetti, G. See Affatato, S., 76
Click, D. R. See Hobbs, D. T., 296
Correr, G. M.
—; Alonso, R. C. B.; Sobrinho, L. C.; Puppin-Rontani, R. M.; Ferracane, J. L.: *In vitro* wear of resin-based materials—simultaneous corrosive and abrasive wear, 105
Costa, L.
—; Bracco, P.; del Prever, E. M. B.; Kurtz, S. M.; Gallinaro, P.: Oxidation and oxidation potential in contemporary packaging for polyethylene total joint replacement components, 20
Cottrell, J. M.
—; Babalola, O.; Furman, B. S.; Wright, T. M.: Stair ascent kinematics affect UHMWPE wear and damage in total knee replacements, 15
Curtis, R. See Gisep, A., 83

Daly, C. See Lewis, G., 312
Damron, L. A.
—; Kim, D.-G.; Mann, K. A.: Fatigue debonding of the roughened stem–cement interface: Effects of surface roughness and stem heating conditions, 181
Daniels, A. U. See de Freitas, P. S., 347
de Freitas, P. S.
—; Wirz, D.; Stolz, M.; Göpfert, B.; Friederich, N.-F.; Daniels, A. U.: Pulsatile dynamic stiffness of cartilage-like materials and use of agarose gels to validate mehcanical methods and models, 347
del Prever, E. M. B. See Costa, L., 20
Deng, X. See Long, L., 409
De Vries, J. See Chin, M. Y. H., 401
Ding, S.-J. See Chen, C.-C., 146
Donnelly, K. See Jones, D. S., 230
Doraiswamy, A. See Patz, T. M., 124
Dowling, D. See Jones, D. S., 230
Drummond, J. L.
—; Nanoindentation of dental composites, 27
Dunne, N. See Lewis, G., 312

Fagnano, C. See Affatato, S., 76
Fedel, M.
—; Tessarolo, F.; Ferrari, P.; Lösche, C.; Ghassemieh, N.; Guarrera, G. M.; Nollo, G.: Functional properties and performance of new and reprocessed coronary angioplasty balloon catheters, 364
Feng, L.
—; Suh, B. I.: A mechanism on why slower polymerization of a dental composite produces lower contraction stress, 63
Ferracane, J. L. See Correr, G. M., 105; Turssi, C. P., 196
Ferracane, L. L. See Turssi, C. P., 196
Ferrari, M. See Sadek, F. T., 7
Ferrari, P. See Fedel, M., 364
Filho, L. E. R., See Ceasar, P. F., 265
Flütsch, S. See Gisep, A., 83
Freytes, D. O.
—; Tullius, R. S.; Badylak, S. F.: Effect of storage upon material properties of lyophilized porcine extracellular matrix derived from the urinary bladder, 327
Friederich, N.-F. See de Freitas, P. S., 347
Furman, B. S. See Cottrell, J. M., 15

Gallinaro, P. See Costa, L., 20
Gao, F.
—; Cao, M.; Yang, C.; He, Y.; Liu, Y.: Preparation and characterization of hyaluronan oligosaccharides for angiogenesis study, 385
García-Honduvilla, N. See Bellón, J. M., 340
Garvin, C. P. See Jones, D. S., 230
Ghassemieh, N. See Fedel, M., 364

Gisep, A.
—; Curtis, R.; Flütsch, S.; Suhm, N.: Augmentation of osteoporotic bone: Effect of pulsed jet-lavage on injection forces, cement distribution, and push-out strength of implants, 83
Goissis, G. See Miguel, F. B., 334
Gomei, Y. See Natori, S. H., 318
Gómez-Gill, V. See Bellón, J. M., 340
Göpfert, B. See de Freitas, P. S., 347
Gorman, S. P. See Jones, D. S., 230
Grün, R. See Lassen, K. S., 189
Guarrera, G. M. See Fedel, M., 364

Hakki, S. S. See Sengun, A., 131
Halkacı, S. See İnan, Ö., 393
Hasenwinkel, J. M. See Carone, T. W., 274
Hattori, M. See Seshima, H., 215
Haynie, D. T.
—; Physics of polypeptide multilayer films, 243
He, W. See Patz, T. M., 124
He, Y. See Gao, F., 385
Higuchi, A. See Natori, S. H., 318
Hobbs, D. T.
—; Messer, R. L. W.; Lewis, J. B.; Click, D. R.; Lockwood, P. E.; Wataha, J. C.: Adsorption of biometals to monosodium titanate in biological environments, 296
Hosaka, M.
—; Shibata, Y.; Miyazaki, T.: Preliminary β-tricalcium phosphat coating prepared by discharging in a modified body fluid enhances collagen immobilization onto titanium, 237
Hou, Z. See Wu, H., 56
Huang, T.-H. See Chen, C.-C., 146
Hukkanen, M. See Ruuttila, P., 97
Hur, B. See Kwon, Y. H., 253

İnan, Ö.
—; Acar, A.; Halkacı, S.: Effects of sandblasting and electrical discharge machining on porcelain adherence to cast and machined commerically pure titanium, 393
Inoue, T. See Seshima, H., 215

Jahng, K. Y. See Kim, C. H., 283
Johansen, J. E. See Lassen, K. S., 189
Jones, D. S.
—; Garvin, C. P.; Dowling, D.; Donnelly, K.; Gorman, S. P.: Examination of surface properties and *in vitro* biological performance of amorphous diamond-like carbon-coated polyurethane, 230

Kaito, T.
—; Mukai, Y.; Nishikawa, M.; Ando, W.; Yoshikawa, H.; Myoui, A.: Dual hydroxyapatite composite with porous and solid parts: Experimental study using canine lumbar interbody fusion model, 378
Kang, S.-I. See Kwon, Y. H., 253
Kao, C.-T. See Chen, C.-C., 146
Kawada, E. See Seshima, H., 215
Kellomäki, M. See Ruuttila, P., 97
Khattiya, R. See Strietzel, F. P., 35
Khil, M. S. See Kim, C. H., 283
Khongkhunthian, P. See Strietzel, F. P., 35
Kim, C. H.
—; Khil, M. S.; Kim, H. Y.; Lee, H. U.; Jahng, K. Y.: An improved hydrophilicity via electrospinning for enhanced cell attachment and proliferation, 283
Kim, C.-K. See Kim, J.-S., 115
Kim, D.-G. See Damron, L. A., 181
Kim, H.-I. See Kwon, Y. H., 253
Kim, H. J. See Yoo, J. J., 70
Kim, H. Y. See Kim, C. H., 283
Kim, J.-S.
—; Choi, Y.-H.; Cho, B.-H.; Son, H.-H.; Lee, I.-B.; Um, C.-M.; Kim, C.-K.: Effect of light-cure time of adhesive resin on the thickness of the oxygen-inhibited layer and the microtensile bond strength to dentin, 115
Kim, J. W. See Yoo, J. J., 70
Kim, K.-H. See Meng, X., 373
Kim, Y.-M. See Yoo, J. J., 70
Konttinen, Y. T. See Ruuttila, P., 97
Koo, K.-H. See Yoo, J. J., 70
Kurtz, S. M. See Costa, L., 20
Kwon, T.-Y. See Meng, X., 373
Kwon, Y. H.
—; Kang, S.-I.; Hur, B.; Park, J. K.; Kim, H.-I.: Effect of irradiation mode on polymerization of dental composite resins, 253

Lambert, J. M.
—; The nature of platinum in silicones for biomedical and healthcare use, 167
Lassen, K. S.
—; Johansen, J. E.; Grün, R.: Comparison of two radio-frequency plasma sterilization processes using microspot evaluation of microbial inactivation, 189
Lee, H. U. See Kim, C. H., 283
Lee, I.-B. See Kim, J.-S., 115
Lee, Y.-K. See Choi, M.-S., 1
Leung, K. S.
—; Siu, W. S.; Li, S. F.; Qin, L.; Cheung, W. H.; Tam, K. F.; Lui, P. P. Y.: An *in vitro* optimized injectable calcium phosphate cement for augmenting screw fixation in osteopenic goats, 153
Lewis, G.
—; Xu, J.; Dunne, N.; Daly, C.; Orr, J.: Critical comparison of two methods for the determination of nanomechanical properties of a material: Application to synthetic and natural biomaterials, 312
Lewis, J. B. See Hobbs, D. T., 296
Li, L. See Long, L., 409
Li, S. F. See Leung, K. S., 153
Lim, B.-S. See Choi, M.-S., 1
Lim, Y.-J. See Choi, M.-S., 1
Liu, Y. See Gao, F., 385
Liu, Z. See Long, L., 409
Lockwood, P. E. See Hobbs, D. T., 296
Long, L.
—; Liu, Z.; Wang, T.; Deng, X.; Yang, K.; Li, L.; Zhao, C.: Polyethersulfone dead-end tube as a scaffold for artificial lacrimal glands *in vitro*, 409
Lösche, C. See Fedel, M., 364
Lui, P. P. Y. See Leung, K. S., 153
Lukito, D. See Xue, J. M., 417

Ma, X.
—; Cao, C.; Zhu, H.: The biocompatibility of silk fibroin films containing sulfonated silk fibroin, 89
Maguire, P. D. See Okaplugo, T. I. T., 222
Mann, K. A. See Damron, L. A., 181
Marcantonio, E. Jr. See Miguel, F. B., 334
McCullough, R. W. See Okaplugo, T. I. T., 222
McLaughlin, J. See Okaplugo, T. I. T., 222
McManus, A. J.
—; Moser, R. C.; Thomas, K. A.: Characterization of a faster resorbing polymer after real time aging, 358
Meng, X.
—; Kwon, T.-Y.; Yang, Y.; Ong, J. L.; Kim, K.-H.: Effects of applied voltages on hydroxyapatite coating of titanium by electrophoretic deposition, 373
Messer, R. L. W. See Hobbs, D. T., 296
Miguel, F. B.
—; Cardoso, A. K. M. V.; Barbosa, A. A. Jr.; Marcantonio, E. Jr.; Goissis, G.; Rosa, F. P.: Morphological assessment of the behavior of three-dimensional anionic collagen matrices in bone regeneration in rats, 334
Miranda, W. G. Jr. See Cesar, P. F., 265
Miyazaki, C. L. See Cesar, P. F., 265
Miyazaki, T. See Hosaka, M., 237; Yamamoto, H., 211
Modi, R. See Patz, T. M., 124
Monticelli, F. See Sadek, F. T., 7
Moser, R. C. See McManus, A. J., 358
Muench, A. See Sadek, F. T., 7
Mukai, Y. See Kaito, T., 378
Murphy, H. See Okaplugo, T. I. T., 222
Muta, L. M. See Cesar, P. F., 265
Myoui, A. See Kaito, T., 378

Nam, K. W. See Yoo, J. J., 70
Narayan, R. J. See Patz, T. M., 124

Natori, S. H.
—; Gomei, Y.; Higuchi, A.: Synthesis and performance of amphiphilic copolymers for blood cell separation, 318
Ni, S. See Wu, C., 47
Niiranen, H. See Ruuttila, P., 97
Nishikawa, M. See Kaito, T., 378
Nollo, G. See Fedel, M., 364

Oda, Y. See Seshima, H., 215
Ogawa, T. See Yokoyama, K., 204
Ogwu, A. A. See Okaplugo, T. I. T., 222
Okpalugo, T. I. T.
—; Murphy, H.; Ogwu, A. A.; Abbas, G.; Ray, S. C.; Maguire, P. D.; McLaughlin, J.; McCullough, R. W.: Human microvascular endothelial cellular interaction with atomic N-doped DLC compared with Si-doped DLC thin films, 222
Ong, J. L. See Meng, X., 373
Orr, J. See Lewis, G., 312

Park, J. K. See Kwon, Y. H., 253
Pascual, G. See Bellón, J. M., 340
Patchanee, P. See Strietzel, F. P., 35
Patz, T. M.
—; Doraiswamy, A.; Narayan, R. J.; He, W.; Zhong, Y.; Bellamkonda, R.; Modi, R.; Chrisey, D. B.: Three-dimensional direct writing of B35 neuronal cells, 124
Pimenta, L. A. See Ritter, A. V., 302
Pratten, J. See Chin, M. Y. H., 401
Puppin-Rontani, R. M. See Correr, G. M., 105

Qin, L. See Leung, K. S., 153

Ray, S. C. See Okaplugo, T. I. T., 222
Reichart, P. A. See Strietzel, F. P., 35
Rhee, S.-H. See Choi, M.-S., 1
Ritter, A. V.
—; Cavalcante, L. M.; Swift, E. J. Jr.; Thompson, J. Y.; Pimenta, L. A.: Effect of light-curing method on marginal adaptation, microleakage, and microhardness of composite restorations, 302
Rocchi, M. See Affatato, S., 76
Rodríguez, M. See Bellón, J. M., 340
Rosa, F. P. See Miguel, F. B., 334
Ruuttila, P.
—; Niiranen, H.; Kellomäki, M.; Törmälä, P.; Konttinen, Y. T.; Hukkanen, M.: Characterization of human primary osteoblast response on bioactive glass (BaG 13–93) coated poly-L,DL-lactide (SR-PLA70) surface *in vitro*, 97

Sadek, F. T.
—; Monticelli, F.; Muench, A.; Ferrari, M.; Cardoso, P. E. C.: A novel method to obtain microtensile specimens minimizing cut flaws, 7
Sakai, J. See Yokoyama, K., 204
Sandham, A. See Chin, M. Y. H., 401
Sengun, A.
—; Buyukbas, S.; Hakki, S. S.: Cytotoxic effects of dental desensitizers on human gingival fibroblasts, 131
Seshima, H.
—; Yoshinari, M.; Takemoto, S.; Hattori, M.; Kawada, E.; Inoue, T.; Oda, Y.: Control of bisphosphonate release using hydroxyapatite granules, 215
Shibata, Y. See Hosaka, M., 237; Yamamoto, H., 211
Siu, W. S. See Leung, K. S., 153
Sobrinho, L. C. See Correr, G. M., 105
Son, H.-H. See Kim, J.-S., 115
Stolz, M. See de Freitas, P. S., 347
Strietzel, F. P.
—; Khongkhunthian, P.; Khattiya, R.; Patchanee, P.; Reichart, P. A.: Healing pattern of bone defects covered by different membrane types—a histologic study in the porcine mandible, 35
Suh, B. I. See Feng, L., 63
Suhm, N. See Gisep, A., 83
Suwanprateeb, J.
—; Chumnanklang, R.: Three-dimensional printing of porous polyethlene structure using water-based binders, 138
Swift, E. J. Jr. See Ritter, A. V., 302

Tachikawa, T. See Yamamoto, H., 211
Taddei, P. See Affatato, S., 76
Taira, Y. See Yang, L., 161
Takagi, S. See Cherng, A. M., 291
Takemoto, S. See Seshima, H., 215
Tam, K. F. See Leung, K. S., 153
Tan, C. H. See Xue, J. M., 417
Tessarolo, F. See Fedel, M., 364
Thomas, K. A. See McManus, A. J., 358
Thompson, J. Y. See Ritter, A. V., 302
Toni, A. See Affatato, S., 76
Törmälä, P. See Ruuttila, P., 97
Torrecillas, R. See Affatato, S., 76
Tullius, R. S. See Freytes, D. O., 327
Turssi, C. P.
—; Ferracane, J. L.; Ferracane, L. L.: Wear and fatigue behavior of nano-structured dental resin composites, 196

Um, C.-M. See Kim, J.-S., 115

van der Mei, H. C. See Chin, M. Y. H., 401

Wang, H. See Wang, X., 259
Wang, J. See Wu, C., 47
Wang, T. See Long, L., 409
Wang, X.
—; Ye, J.; Wang, H.: Effects of additives on the rheological properties and injectability of a calcium phosphate bone substitute material, 259
Wataha, J. C. See Hobbs, D. T., 296
Wirz, D. See de Freitas, P. S., 347
Wright, T. M. See Cottrell, J. M., 15
Wu, C.
—; Chang, J.; Zhai, W.; Ni, S.; Wang, J.: Porous akermanite scaffolds for bone tissue engineering: Preparation, characterization, and *in vitro* studies, 47
Wu, D. See Wu, H., 56
Wu, H.
—; Zhang, Z.; Wu, D.; Zhao, H.; Yu, K.; Hou, Z.: Preparation and drug release characteristics of pingyangmycin-loaded dextran cross-linked gelatin microspheres for embolization therapy, 56

Xu, J. See Lewis, G., 312
Xue, J. M.
—; Tan, C. H.; Lukito, D.: Biodegradable polymer–silica xerogel composite microspheres for controlled release of gentamicin, 417

Yamamoto, H.
—; Shibata, Y.; Tachikawa, T.; Miyazaki, T.: *In vivo* performance of two different hydroxyapatite coatings on titanium prepared by discharging in electrolytes, 211
Yang, C. See Gao, F., 385
Yang, H.-C. See Choi, M.-S., 1
Yang, K. See Long, L., 409
Yang, L.
—; Taira, Y.; Atsuta, M.: Effect of an acidulated fluoride etchant on bonding between titanium and two luting materials, 161
Yang, Y. See Meng, X., 373
Ye, J. See Wang, X., 259
Yokoyama, K.
—; Ogawa, T.; Asaoka, K.; Sakai, J.: Hydrogen absorption of titanium and nickel-titanium alloys during long-term immersion in neutral fluoride solution, 204
Yoo, J. J.
—; Kim, Y.-M.; Yoon, K. S.; Koo, K.-H.; Kim, J. W.; Nam, K. W.; Kim, H. J.: Contemporary alumina-on-alumina total hip arthroplasty performed in patients younger than forty years: a 5-year minimum follow-up study, 70
Yoon, K. S. See Yoo, J. J., 70
Yoshikawa, H. See Kaito, T., 378
Yoshimura, H. N. See Cesar, P. F., 265
Yoshinari, M. See Seshima, H., 215
Yu, K. See Wu, H., 56

Zhai, W. See Wu, C., 47
Zhang, Z. See Wu, H., 56
Zhao, C. See Long, L., 409
Zhao, H. See Wu, H., 56
Zhong, Y. See Patz, T. M., 124
Zhu, H. See Ma, X., 89

Journal of Biomedical Materials Research (Applied Biomaterials) Subject index—Volume 78B

Abrasive wear, 105
Acrylic, 83, 181
Adhesion, 161
Agarose, 347
Akermanite scaffolds, 47
ALP, 47
Alumina, 70
Amphiphilic copolymer, 318
Angiogenesis, 385
Animal model, 153
Animal study, 35
Anionic collagen, 334
Anticoagulant activity, 89
Arthroplasty, 70
Articular cartilage, 347
Auranofin, 296

Barrier membranes, 35
Barrier packaging, 20
Bearing surfaces, 70
Bioabsorbable, 97
Bioactive, 47
Bioactive glass, 97
Bioactive material, 259
Biocompatibility, 76
Biocompatibility/hard tissue, 222
Biofilm formation, 401
Bionanotechnology, 243
Bioresorbable, 358
Bisphosphonate, 215
Blood cell separation, 318
Bone, 312
Bone cement, 83, 181, 312
Bone regeneration, 215, 334
Bone remodeling, 215, 259

Calcium phosphate, 237, 259, 291
Calcium phosphate(s), 153
Carbon coatings, 222
Cell culture, 409
Cell-material interactions, 222
Ceramic materials, 76
CF_4/O_2, 189
Clinical, 70
Coatings, 146, 211, 237, 243, 373
Collagen, 237
Color change, 1
Composite, 97, 340, 378
Composite light-curing, 302
Composite microspheres, 417
Computer modeling/simulation, 181
Contact angle, 230
Contraction, 63
Corrosion, 204
Corrosive wear, 105
Crack mechanism, 115
Craniofacial, 138
Critical size defect, 334
Curing rate, 63
Cutting equipment, 7
Cytocompatible, 47
Cytokines, 296
Cytotoxicity, 131

Dead-end tube, 409
Degradable, 47
Degradation, 20
Dental, 131
Dental ceramics, 265
Dental composites, 27, 63
Dental/endosteal implant, 215
Dental implant, 211
Dental material, 253
Dental porcelain, 1
Dentin, 7
Dentin adhesive, 115
Dentin hypersensitivity, 291
Dentin permeability, 291
Desensitizer, 131
Dextran, 56
Diamond-like carbon, 230
Dicalcium phosphate, 153
Direct writing, 124
Drug delivery system, 215, 243
Drug release, 417

Elastic modulus, 27
Electrical discharge machining (EDM), 393
Electrophoresis, 385
Electrophoretic deposition, 373
Electrospinning, 283
Embolization, 56
Enamel, 7, 105
Encrustation, 230
Endothelial cells, 222, 385
Ethylene oxide, 20
Extracellular matrix, 327

Fatigue, 146, 181, 196
Fibroblast, 131
Fluoride, 204
Fractography, 265
Fracture, 70
Fracture fixation, 153
Fracture mechanics, 265
Fracture toughness, 265
FT-NIR, 115
Functionality tests, 364

Gas plasma, 20, 189
Gelatin microspheres, 56
Gentamicin, 417
Glycolide, 358
Guided bone regeneration, 35

Hardness, 27
Hip prosthesis, 181
Hip simulator, 76
Histology, 35
Human, 97
Human prostate epithelial cells (HPECs), 283
Hyaluronan oligosaccharides, 385
Hydraulic conductance, 291
Hydrogel, 347
Hydrogen embrittlement, 204
Hydrophilicity, 283, 318
Hydroxyapatite, 146, 211, 215, 373, 378

Implant design, 167
Implant interface, 83, 181
Implant retrieval, 167
In vitro, 83

Joint replacement, 15

Knee prosthesis, 15
Knee simulator, 15

Lacrimal gland, 409
Lactide, 358
Layer by layer assembly, 243
Leukocyte removal, 318
Low-fusing porcelain, 393

Macroradicals, 20
Marginal adaption, 302
Measurement, 253
Measurement/assessment, 167
Mechanical properties, 253, 265, 274, 312, 327, 347
Metal, 161
Microbial adherence, 230
Microhardness, 302
Micro leakage, 302
Microstructure, 373
Microtensile, 7
Microtensile bond strength, 115
Modulus, 63
Monocytes, 296
Mouthrinses, 401
MTT, 131
Multifunctional materials, 243
Multiple linear regression, 401

Nanocomposites, 76
Nanoindenter, 27
Nanotechnology, 196, 312
Nerve guidance, 274
Nerve regeneration, 274
Ni-Ti alloy, 204
Nonresorbable, 35

Obturation, 291
Orthodontic adhesives, 401
Osteoblast, 97
Osteoclast, 215
Osteoporosis, 153
Oxidation, 20
Oxygen-inhibited layer, 115

Peripheral nerve repair, 124
Permeability, 327
Permeation of platelets, 318
Photopolymerization, 63
Pingyangmycin, 56
Plasma spray, 146
Plates, 358
PLGA polymer, 417
PMMA, 83, 181
3-Point bending test, 393
Polyethersulfone, 409
Polyethylene, 138
Polyethylene (UHMWPE), 15
PolyHEMA, 274
Poly(Î-caprolactone), 283
Polymer, 97, 358
Polymerization, 253
Polyurethane, 230
Poly(vinyl alcohol), 283
Porcelain-repairing resin composite, 1
Porous structure, 138
Prostheses, 340
PTCA catheters, 364
PTFE, 340

Radiation sterilization, 20
Rapid prototyping, 138
Reprocessing, 364
Resin-based materials, 105
Resorbable, 35
Reuse, 364
RF, 189

Sandblasting, 393
Scaffold, 274, 327, 409
Screws, 358
Silica xerogel, 417
Silicone(s)/PDMS, 167
Silk fibroin, 89
Single use medical devices, 364
Slurry, 291
Specimens' shape, 7
Spectroscopy, 296
Spinal fusion, 378
Stability, 327
Sterilization, 189
Stress, 63
Succinate dehydrogenase, 296
Sulfonated silk fibroin, 89
Surface characterization, 237
Surface modification, 161
Surface modification/characterization, 222
Surface physico-chemical properties, 401
Sustained release, 56
Suture, 327

Test method, 347
Tetracalcium phosphate, 153
Three-dimensional matrix, 334
Three-dimensional printing, 138
Tissue bioengineering, 334
Tissue engineering, 124
Titanium, 146, 204, 211, 237, 393
Toxicity, 167
Translucency change, 1
Tribology, 196

Ultrahigh molecular weight polyethylene (UHMWPE), 20
Urinary bladder, 327

Validation, 189
Viscosity, 259
Voltage, 373

Wear, 15, 105, 196
Wound healing, 340

Zorconia-toughened alumina, 76

JOURNAL OF
BIOMEDICAL
MATERIALS
RESEARCH
PART B: APPLIED BIOMATERIALS
Volume 78B Contents 2006

Contents

July 2006
Volume 78B
Number 1

1 Changes in Color and Translucency of Porcelain-Repairing Resin Composites After Thermocycling
Mi-Sook Choi, Yong-Keun Lee, Bum-Soon Lim, Sang-Hoon Rhee, Hyeong-Cheol Yang, and Young-Jun Lim
Published online 27 February 2006

7 A Novel Method to Obtain Microtensile Specimens Minimizing Cut Flaws
Fernanda Tranchesi Sadek, Francesca Monticelli, Antonio Muench, Marco Ferrari, and Paulo Eduardo Capel Cardoso
Published online 16 November 2005

15 Stair Ascent Kinematics Affect UHMWPE Wear and Damage in Total Knee Replacements
Jocelyn M. Cottrell, Omotunde Babalola, Bridgette S. Furman, and Timothy M. Wright
Published online 8 November 2005

20 Oxidation and Oxidation Potential in Contemporary Packaging for Polyethylene Total Joint Replacement Components
Luigi Costa, Pierangiola Bracco, Elena Maria Brach del Prever, Steven M. Kurtz, and Paolo Gallinaro,
Published online 7 February 2006

27 Nanoindentation of Dental Composites
James L. Drummond
Published online 8 November 2005

35 Healing Pattern of Bone Defects Covered by Different Membrane Types—A Histologic Study in the Porcine Mandible
Frank P. Strietzel, Pathawee Khongkhunthian, Rutch Khattiya, Prapas Patchanee, and Peter A. Reichart
Published online 16 December 2005

47 Porous Akermanite Scaffolds for Bone Tissue Engineering: Preparation, Characterization, and *In Vitro* Studies
Chengtie Wu, Jiang Chang, Wanyin Zhai, Siyu Ni, and Junying Wang
Published online 6 December 2005

56 Preparation and Drug Release Characteristics of Pingyangmycin-Loaded Dextran Cross-Linked Gelatin Microspheres for Embolization Therapy
Hong Wu, Zhenxi Zhang, Daocheng Wu, Hongping Zhao, Kaitao Yu, and Zhenqing Hou
Published online 6 December 2005

63 A Mechanism on Why Slower Polymerization of a Dental Composite Produces Lower Contraction Stress
L. Feng and B. I. Suh
Published online 7 February 2006

70 Contemporary Alumina-on-Alumina Total Hip Arthroplasty Performed in Patients Younger Than Forty Years: A 5-Year Minimum Follow-up Study
Jeong Joon Yoo, Young-Min Kim, Kang Sup Yoon, Kyung-Hoi Koo, Jong Won Kim, Kwang Woo Nam, and Hee Joong Kim
Published online 27 February 2006

76 Advanced Nanocomposite Materials for Orthopaedic Applications. I. A Long-Term *In Vitro* Wear Study of Zirconia-Toughened Alumina
S. Affatato, R. Torrecillas, P. Taddei, M. Rocchi, C. Fagnano, G. Ciapetti, and A. Toni
Published online 16 November 2005

83 Augmentation of Osteoporotic Bone: Effect of Pulsed Jet-Lavage on Injection Forces, Cement Distribution, and Push-Out Strength of Implants
A. Gisep, R. Curtis, S. Flütsch, and N. Suhm
Published online 6 December 2005

89 The Biocompatibility of Silk Fibroin Films Containing Sulfonated Silk Fibroin
Xilan Ma, Chuanbao Cao, and Hesun Zhu
Published online 16 November 2005

97 Characterization of Human Primary Osteoblast Response on Bioactive Glass (BaG 13–93) Coated Poly-L,DL-lactide (SR-PLA70) Surface *In Vitro*
P. Ruuttila, H. Niiranen, M. Kellomäki, P. Törmälä, Y. T. Konttinen, and M. Hukkanen
Published online 16 November 2005

105 *In Vitro* Wear of Resin-Based Materials—Simultaneous Corrosive and Abrasive Wear
Gisele Maria Correr, Roberta Caroline Bruschi Alonso, Lourenço Correr Sobrinho, Regina Maria Puppin-Rontani, and Jack Liborio Ferracane
Published online 16 November 2005

115 Effect of Light-Cure Time of Adhesive Resin on the Thickness of the Oxygen-Inhibited Layer and the Microtensile Bond Strength to Dentin
Jong-Soon Kim, Yong-Hoon Choi, Byeong-Hoon Cho, Ho-Hyun Son, In-Bog Lee, Chung-Moon Um, and Chang-Keun Kim
Published online 6 December 2005

124 Three-Dimensional Direct Writing of B35 Neuronal Cells
T. M. Patz, A. Doraiswamy, R. J. Narayan, W. He, Y. Zhong, R. Bellamkonda, R. Modi, and D. B. Chrisey
Published online 6 December 2005

131 Cytotoxic Effects of Dental Desensitizers on Human Gingival Fibroblasts
A. Sengun, S. Buyukbas, and S. S. Hakki
Published online 9 February 2006

138 Three-Dimensional Printing of Porous Polyethylene Structure Using Water-Based Binders
J. Suwanprateeb and R. Chumnanklang
Published online 9 February 2006

146 Characterization of Functionally Graded Hydroxyapatite/Titanium Composite Coatings Plasma-Sprayed on Ti Alloys
Chun-Cheng Chen, Tsui-Hsien Huang, Chia-Tze Kao, and Shinn-Jyh Ding
Published online 16 November 2005

153 An *In Vitro* Optimized Injectable Calcium Phosphate Cement for Augmenting Screw Fixation in Osteopenic Goats
Kwok Sui Leung, Wing Sum Siu, Siu Fai Li, Ling Qin, Wing Hoi Cheung, Kam Fai Tam, and Pauline Po Yee Lui
Published online 16 November 2005

161 Effect of an Acidulated Fluoride Etchant on Bonding between Titanium and Two Luting Materials
Lei Yang, Yohsuke Taira, and Mitsuru Atsuta
Published online 6 December 2005

167 The Nature of Platinum in Silicones for Biomedical and Healthcare Use
James M. Lambert
Published online 9 February 2006

181 Fatigue Debonding of the Roughened Stem–Cement Interface: Effects of Surface Roughness and Stem Heating Conditions
Leatha A. Damron, Do-Gyoon Kim, and Kenneth A. Mann
Published online 16 November 2005

189 Comparison of Two Radio-Frequency Plasma Sterilization Processes Using Microspot Evaluation of Microbial Inactivation
Klaus S. Lassen, Jens E. Johansen, and Reinar Grün
Published online 16 December 2005

196 Wear and Fatigue Behavior of Nano-Structured Dental Resin Composites
Cecilia P. Turssi, Jack L. Ferracane, and Lucas L. Ferracane
Published online 30 January 2006

204 Hydrogen Absorption of Titanium and Nickel-Titanium Alloys During Long-Term Immersion in Neutral Fluoride Solution
Ken'ichi Yokoyama, Toshio Ogawa, Kenzo Asaoka, and Jun'ichi Sakai
Published online 16 December 2005

211 *In Vivo* Performance of Two Different Hydroxyapatite Coatings on Titanium Prepared by Discharging in Electrolytes
Hiroki Yamamoto, Yo Shibata, Tetsuhiko Tachikawa, and Takashi Miyazaki
Published online 16 December 2005

August 2006
Volume 78B
Number 2

215 Control of Bisphosphonate Release Using Hydroxyapatite Granules
Hisashi Seshima, Masao Yoshinari, Shinji Takemoto, Masayuki Hattori, Eiji Kawada, Takashi Inoue, and Yutaka Oda
Published online 16 March 2006

222 Human Microvascular Endothelial Cellular Interaction With Atomic N-Doped DLC Compared With Si-Doped DLC Thin Films
T. I. T. Okpalugo, H. Murphy, A. A. Ogwu, G. Abbas, S. C. Ray, P. D. Maguire, J. McLaughlin, and R. W. McCullough
Published online 16 March 2006

230 Examination of Surface Properties and *In Vitro* Biological Performance of Amorphous Diamond-Like Carbon-Coated Polyurethane
David S. Jones, Clare P. Garvin, Denis Dowling, Kevin Donnelly, and Sean P. Gorman
Published online 13 April 2006

237 Preliminary β-Tricalcium Phosphate Coating Prepared by Discharging in a Modified Body Fluid Enhances Collagen Immobilization Onto Titanium
Mizuyo Hosaka, Yo Shibata, and Takashi Miyazaki
Published online 16 December 2005

243 Physics of Polypeptide Multilayer Films
Donald T. Haynie
Published online 30 January 2006

253 Effect of Irradiation Mode on Polymerization of Dental Composite Resins
Yong Hoon Kwon, Soon-Il Kang, Bock Hur, Jeong Kil Park, and Hyung-Il Kim
Published online 30 January 2006

259 Effects of Additives on the Rheological Properties and Injectability of a Calcium Phosphate Bone Substitute Material
Xiupeng Wang, Jiandong Ye, and Hai Wang
Published online 16 December 2005

265 Relationship Between Fracture Toughness and Flexural Strength in Dental Porcelains
Paulo Francisco Cesar, Humberto Naoyuki Yoshimura, Walter Gomes Miranda, Jr., Caroline Lumi Miyazaki, Luciana Mayumi Muta, and Leondardo Eloy Rodrigues Filho
Published online 9 February 2006

274 Mechanical and Morphological Characterization of Homogeneous and Bilayered Poly(2-hydroxyethyl methacrylate) Scaffolds for Use in CNS Nerve Regeneration
Terrance W. Carone and Julie M. Hasenwinkel
Published online 30 January 2006

283 An Improved Hydrophilicity via Electrospinning for Enhanced Cell Attachment and Proliferation
Chi Hun Kim, Myung Seob Khil, Hak Yong Kim, Hyun Uk Lee, and Kwang Yeop Jahng
Published online 16 December 2005

291 Reduction in Dentin Permeability Using a Slurry Containing Dicalcium Phosphate and Calcium Hydroxide
Aishuan Maria Cherng, Shozo Takagi, and Laurence Chow
Published online 7 February 2006

296 Adsorption of Biometals to Monosodium Titanate in Biological Environments
D. T. Hobbs, R. L. W. Messer, J. B. Lewis, D. R. Click, P. E. Lockwood, and J. C. Wataha
Published online 16 December 2005

302 Effect of Light-Curing Method on Marginal Adaptation, Microleakage, and Microhardness of Composite Restorations
André V. Ritter, Larissa M. Cavalcante, Edward J. Swift, Jr., Jeffrey Y. Thompson, and Luiz A. Pimenta
Published online 13 April 2006

312 Critical Comparison of Two Methods for the Determination of Nanomechanical Properties of a Material: Application to Synthetic and Natural Biomaterials
Gladius Lewis, Jie Xu, Nicholas Dunne, Catherine Daly, and John Orr
Published online 7 February 2006

318 Synthesis and Performance of Amphiphilic Copolymers for Blood Cell Separation
Shizue Hayashi Natori, Yumiko Gomei, and Akon Higuchi
Published online 9 February 2006

327 Effect of Storage Upon Material Properties of Lyophilized Porcine Extracellular Matrix Derived From the Urinary Bladder
Donald O. Freytes, Robert S. Tullius, and Stephen F. Badylak
Published online 19 December 2005

334 Morphological Assessment of the Behavior of Three-Dimensional Anionic Collagen Matrices in Bone Regeneration in Rats
Fúlvio B. Miguel, Ana Karina M. V. Cardoso, Aryon A. Barbosa, Jr, Elcio Marcantonio, Jr, Gilberto Goissis, and Fabiana P. Rosa
Published online 7 February 2006

340 Influence of the Structure of New Generation Prostheses on Shrinkage After Implant in the Abdominal Wall
J. M. Bellón, N. García-Honduvilla, M. Rodríguez, G. Pascual, V. Gómez-Gil, and J. Buján
Published online 16 March 2006

347 Pulsatile Dynamic Stiffness of Cartilage-Like Materials and Use of Agarose Gels to Validate Mechanical Methods and Models
P. Scandiucci de Freitas, D. Wirz, M. Stolz, B. Göpfert, N.-F. Friederich, and A. U. Daniels
Published online 7 February 2006

358 Characterization of a Faster Resorbing Polymer After Real Time Aging
Anastasia J. McManus, Rodney C. Moser, and Kevin A. Thomas
Published online 16 December 2005

364 Functional Properties and Performance of New and Reprocessed Coronary Angioplasty Balloon Catheters
Mariangela Fedel, Francesco Tessarolo, Paolo Ferrari, Christian Lösche, Nikou Ghassemieh, Giovanni Maria Guarrera, and and Giandomenico Nollo
Published online 27 February 2006

373 Effects of Applied Voltages on Hydroxyapatite Coating of Titanium by Electrophoretic Deposition
Xianwei Meng, Tae-Yub Kwon, Yunzhi Yang, Joo L. Ong, and Kyo-Han Kim
Published online 16 December 2005

378 Dual Hydroxyapatite Composite With Porous and Solid Parts: Experimental Study Using Canine Lumbar Interbody Fusion Model
Takashi Kaito, Yoshihiro Mukai, Masataka Nishikawa, Wataru Ando, Hideki Yoshikawa, and Akira Myoui
Published online 30 January 2006

385 Preparation and Characterization of Hyaluronan Oligosaccharides for Angiogenesis Study
Feng Gao, Manlin Cao, Cuixia Yang, Yiqing He, and Yiwen Liu
Published online 16 March 2006

393 Effects of Sandblasting and Electrical Discharge Machining on Porcelain Adherence to Cast and Machined Commercially Pure Titanium
Özgür İnan, Aslı Acar, and Selçuk Halkacı
Published online 30 January 2006

401 Multivariate Analysis of Surface Physico-Chemical Properties Controlling Biofilm Formation on Orthodontic Adhesives Prior to and After Fluoride and Chlorhexidine Treatment
Mervyn Y. H. Chin, Andrew Sandham, Jonathan Pratten, Joop De Vries, Henny C. van der Mei, and Henk J. Busscher
Published online 9 February 2006

409 Polyethersulfone Dead-End Tube as a Scaffold for Artificial Lacrimal Glands *In Vitro*
Li Long, Zongbin Liu, Ting Wang, Xiaopei Deng, Kaiguang Yang, Longjiang Li, and Changsheng Zhao
Published online 16 March 2006

417 Biodegradable Polymer–Silica Xerogel Composite Microspheres for Controlled Release of Gentamicin
J. M. Xue, C. H. Tan, and D. Lukito
Published online 9 February 2006

424 Author Index to Volume 78B

427 Subject Index to Volume 78B

I Volume 78 Contents